# Community Health Needs Assessment

Unity Medical Center – Service Area **Grafton, North Dakota** 

2025

Holly Long, MSML, Project Coordinator Kayli Gimse, Project Assistant



# **Table of Contents**

Executive Summary	3
Overview and Community Resources	4
Assessment Process	9
Demographic Information	13
Survey Results	24
Findings of Key Informant Interviews and Community Group	44
Priority of Health Needs	45
Next Steps – Strategic Implementation Plan	49
Appendix A – Critical Access Hospital Profile	50
Appendix B – Survey Instrument	52
Appendix C – County Health Rankings Explained	59
Appendix D – Youth Risk Behavior Survey	69
Appendix E – Prioritization of Community's Health Needs	72
Appendix F – Survey "Other" Responses	73

# **Executive Summary**

To help inform future decisions and strategic planning, Unity Medical Center (UMC) conducted a Community Health Needs Assessment (CHNA) in 2025, the previous CHNA having been conducted in 2022. The Center for Rural Health (CRH) at the University of North Dakota School of Medicine & Health Sciences facilitated the assessment process, which solicited input from area community members and healthcare professionals, as well as analysis of community health-related data.



To gather feedback from the community, residents of the area were given the opportunity to participate in a survey. One hundred eighty-four UMC service area residents completed the survey. Additional information was collected through five key informant interviews with community members. The input from the residents, who primarily reside in Walsh County, represented the broad interests of the communities in the service area. Together with secondary data gathered from a wide range of sources, the survey presents a snapshot of the health needs and concerns in the community.

With regard to demographics, Walsh County's population from 2020 to 2023 decreased by 2.4 percent. The average number of residents younger than age 18 (23.4%) for Walsh County comes in slightly lower than the North Dakota average (23.5%). The percentage of residents ages 65 and older is over 6 percent higher for Walsh County (22.9%) than the North Dakota average (16.7%), and the rate of education is 6.6 percent lower for Walsh County (86.9%) than the North Dakota average (93.5%). The median household income in Walsh County (\$69,976) is slightly lower than the state average for North Dakota (\$75,949).

Data compiled by County Health Rankings show Walsh County is doing better than North Dakota in health outcomes/factors for 15 categories.

Walsh County, according to County Health Rankings data, is performing poorly, relative to the rest of the state, in 15 outcome / factor categories.

Of 106 potential community and health needs set forth in the survey, the 184 UMC service area residents who completed the survey indicated the following ten needs as the most important:

- Attracting and retaining young families
- Alcohol use and abuse adult
- Availability of resources to help the elderly stay in their homes
- Cost of health insurance
- Cost of long-term/nursing home care
- Depression/anxiety youth and adult
- Obesity/overweight adult
- Having enough child daycare services
- Not enough affordable housing
- Not enough places for exercise/wellness activities

The survey also revealed the biggest barriers to receiving healthcare (as perceived by community members). These included no insurance or limited insurance (N=40), don't know about local services (N=26), and can't get transportation services (N=25).

When asked what the best aspects of the community were, respondents indicated the top community assets were:

- Safe place to live, little/no crime
- Healthcare
- Family-friendly, good place to raise kids
- People who live here are involved in their community
- People are friendly, helpful, and supportive
- Quality school systems

Input from community leaders, provided via key informant interviews, and the community focus group echoed many of the concerns raised by survey respondents. Concerns emerging from these sessions were:

- Alcohol use and abuse
- Availability of mental health services
- Cost of health insurance
- Cost of long-term/nursing home care
- Depression/anxiety
- Having enough child daycare services
- Not enough affordable housing
- Obesity/overweight

# **Overview and Community Resources**

With assistance from the Center for Rural Health (CRH) at the University of North Dakota School of Medicine & Health Sciences, Unity Medical Center (UMC) completed a Community Health Needs Assessment (CHNA) of the UMC service area. The hospital identifies its service area as Walsh County. Many community members and stakeholders worked together on the assessment.

Walsh County is located in northeast North Dakota. It is part of the Red River Valley, which is known to have some of the most productive farmland in the state. Walsh County is considered rural, with a number of small cities and miles of open space.



There are a number of healthcare agencies located within Walsh

County. Grafton is home to Unity Medical Center (UMC), a Rural Health Clinic, two dental clinics, an optometry clinic, a chiropractor clinic, two pharmacies, a community health center, a VA clinic, and a state center that serves developmentally disabled individuals. In Park River there is a Critical Access Hospital First Care Health Center (FCHC), two Rural Health Clinics, two dental clinics, an optometry clinic, a chiropractor clinic, and a pharmacy. Grand Forks is located within 45-70 miles for residents of Walsh County, and people are referred for specialty health services when they are not available as a specialty clinic at either UMC or FCHC. Some people also access specialty services in Fargo and at Mayo Clinic in Rochester. Currently, UMC and FCHC do not routinely deliver babies, but they do provide prenatal care through a specific week of pregnancy either by primary care providers or a visiting OBGYN. After delivery, the local providers continue to offer care to the parents and the children.

Along with the hospitals, agricultural and other large businesses, such as Marvin Windows and Polar Communications, provide the economic base for Walsh County. According to the 2023 U.S. Census estimates, Walsh

County had a population of 10,305 while Grafton, the county seat, had a population of 4,059; the next largest city, Park River, had a population of 1,385.


Walsh County has a number of community assets and resources that can be mobilized to address population health improvement. In terms of physical assets and features, the county includes bike paths, swimming pools, city parks, camping, tennis/pickle ball courts, baseball fields, golf courses, skating rinks, and movie theatres. There are also many private fitness facilities and classes available in the cities of Grafton and Park River, with small facilities in some of the smaller communities as well. Homme Dam is located three miles west of Park River and has great opportunities for boating, camping, biking, swimming, and fishing.

Walsh County has a public transportation bus that provides transportation to anyone regardless of age. All vehicles are handicapped-accessible. They travel to Grafton, Grand Forks, Park River, and Fargo on a regular basis. People can enjoy access to recreation and shopping, or assistance getting to medical appointments by utilizing the public transportation buses. The VA also has a transport van that stops weekly in Grafton to assist veterans to get to the Fargo VA for medical care.

There are grocery stores in four cities in Walsh County. Smaller communities have added staples, such as milk, bread, cereals, canned foods, etc., at some of the gas stations or local cafés to meet the needs of those who do not want to, or are unable to, go out of town to shop. The Rural Access Distribution Co-op was started to lower the cost and increase access to fresh produce and groceries in the smaller grocery stores in their more rural communities.

There are excellent K-12 schools in Minto, Grafton, Park River, and Fordville. The Edinburg and Hoople communities have a joint school district with a Pembina County school, Crystal, so that they can serve K-12 in those communities. Grafton and Park River have preschool programs, and there is a Tri-Valley Opportunity Council located in Grafton.

Figure 1: Walsh County



#### **Unity Medical Center, UMC**

UMC and its predecessors, Grafton Deaconess Hospital, St. Joseph's Hospital, and Grafton Family Clinic, have been a vital part of the Grafton community for more than 120 years. UMC was founded to serve a growing segment of the community in need of accessible services. The Critical Access Hospital Profile for UMC includes a summary of hospital-specific information and is available in Appendix A.

Today, UMC is an incorporated, community-owned and operated healthcare facility. Included within UMC is a 14-bed acute care hospital and two family-care clinics, licensed by the North Dakota Department of Health. UMC is a non-profit 501(c)(3) corporation and employs more than 200 people.

UMC has continued to grow with the help of donors and volunteers that make their mission possible. UMC has the support of the Auxiliary, UMC Foundation, and the people of Grafton, and the surrounding region. Funds, raised through UMC's donors, are used to purchase needed items and equipment as well as for continuing education for their staff.

UMC's purpose remains the same: bring services to those in need.

Mission: UMC provides access to quality healthcare for the region.

"Our mission is simple. We want to make our community a better place through education and the enlisting of our citizens to bring services to those in need."

#### Philosophy

UMC believes that each individual is a unique person who deserves to be treated with dignity and respect. UMC recognizes that people are the most important resource and, therefore, places a major emphasis on staff development. UMC makes a commitment to consumer-focused care and seeks opportunities to serve the healthcare needs of the community. UMC believes that continuous quality improvement is essential in all they do and is a vital measurement of what they want to be.

#### Services offered locally by UMC include: General and Acute Services

- 24-hour emergency room
- Allergy testing and treatment
- Clinics
- Family medicine
- Hospital (acute care, observation)
- Prenatal care up to 28-35 weeks
- Physicals: annuals, D.O.T., sports, and insurance
- Pharmacy services
- Surgery cataract, general, orthopedic
- Social services
- Swing bed
- Respite care (for caregiver relief)
- Telemedicine
- Vaccines
- Walk-in clinic

#### **Radiology Services**

- 3D mammography
- Body composition analysis
- CT scan
- DEXA scan (bone density)
- Digital X-ray

- Echocardiogram
- MRI
- 2D/3D ultrasound

#### **Visiting Providers/Outside Services**

- Cardiology
- Hospice/Home care
- Hearing testing and hearing aids
- Obstetrics
- Oncology
- Ophthalmology
- Orthopedics
- Podiatry
- Psychiatry

#### **Screening and Therapy Services**

- Blood pressure checks
- Cardiopulmonary rehab
- Chemotherapy / Antibiotic therapy
- Chronic disease management
- Cancer screening
- Diabetes education
- Dietary/Nutrition counseling
- Drug testing
- Footcare clinic
- Health coaching
- Hearing services
- Lactation counseling
- Mental health and addiction counseling
- Occupational therapy
- Pediatric occupational therapy
- Pediatric speech therapy
- Pediatric physical therapy
- Physical therapy
- Respiratory care (home oxygen/ CPAP)
- Sleep studies
- Speech therapy
- Stress testing
- Tobacco cessation

#### **Laboratory Services**

- Antibody screening
- Blood typing
- Chemistry
- Coagulation
- Cultures
- DNA testing collection
- Drug testing

- Hematology
- Microbiology
- Serology
- Urinalysis

#### Walsh County Health District, WCHD

Walsh County Health District (WCHD) works to assure the health of Walsh County residents through health promotion, disease prevention, and protection of the public, utilizing best practice population health strategies. WCHD works in a collaborative relationship with other healthcare providers and community leaders/organizations to accomplish these health strategies. Examples include coalitions that address tobacco prevention, substance abuse prevention, and chronic disease prevention. WCHD also provides services in a variety of community settings, such as public schools, private businesses, senior citizen programs, etc. WCHD provides a wide variety of services in order to accomplish the mission of public health, which is to assure that Walsh County is a healthy place to live and that each person has an equal opportunity to enjoy good health.

#### Specific services that WCHD provides are:

- Bicycle helmet safety education
- Blood pressure checks
- Breastfeeding resources
- Car seat program
- Child health (well-baby checks)
- Correction facility health
- COVID-19 test kits and vaccinations
- Diabetes screening
- Emergency preparedness services work with community partners as part of local emergency response team
- Environmental health services (water, sewer, health hazard abatement)
- Flu shots
- Immunizations
- Member of child protection team and county interagency team
- Opioid and substance abuse prevention
- School health vision, hearing, scoliosis screenings in schools, health education, and resource to the schools
- Preschool education programs and screening
- Tobacco prevention and control
- Tuberculosis testing and management
- WIC (Women, Infants, and Children) Program
- Worksite Wellness coordinator for county employees and Sheriff's department.
- Youth education programs (first aid, bike safety)
- Adult home visiting

### **Assessment Process**

The purpose of conducting a Community Health Needs Assessment (CHNA) is to describe the health of local people, identify areas for health improvement, identify use of local healthcare services, determine factors that contribute to health issues, identify and prioritize community needs, and help healthcare leaders identify potential action to address the community's health needs.

#### A CHNA benefits the community by:

- 1. Collecting timely input from the local community members, providers, and staff.
- 2. Providing an analysis of secondary data, related to health-related behaviors, conditions, risks, and outcomes.
- 3. Compiling and organizing information to guide decision making, education, and marketing efforts, and to facilitate the development of a strategic plan.
- 4. Engaging community members about the future of healthcare.
- 5. Allowing the community hospital to meet the federal regulatory requirements of the Affordable Care Act, which requires not-for-profit hospitals to complete a CHNA at least every three years as well as helping the local public health unit meet accreditation requirements.

This assessment examines health needs and concerns in Walsh County. In addition to Grafton and Park River, located in the county are the communities of Minto, Conway, Warsaw, Forest River, Adams, Edinburg, Fairdale, Hoople, Lankin, Fordville, and Pisek.

The Center for Rural Health (CRH), in partnership with Unity Medical Center (UMC) and Walsh County Health District (WCHD), facilitated the Community Health Needs Assessment (CHNA) process. Community representatives met regularly in-person, by telephone conference, and email. A CHNA liaison was selected locally, who served as the main point of contact between CRH and UMC. A large steering committee (see Figure 2) was formed that was responsible for planning and implementing the process locally. Representatives from CRH met and corresponded regularly by videoconference and/or via the eToolkit with the CHNA liaison. The community group (described in more detail below) provided in-depth information and informed the assessment process in terms of community perceptions, community resources, community needs, and ideas for improving the health of the population and healthcare services. Seventeen people, representing a cross section demographically, attended the focus group meeting. The meeting was highly interactive with good participation. UMC staff and board members were in attendance as well but largely played a role of listening and learning.

#### **Figure 2: Steering Committee**

Alan O'Neil	CEO, UMC
Allen Anderson	Administrator, WCHD
Amy Burianek	RN, Population Health, FCHC
Carly Ostenrude	Public Health Nurse, WCHD
Christina Bata	RDN, FCHC
Kari Novak	LPN, Clinic Manager, UMC
Lori Seim	RN, DON, FCHC
Marcus Lewis	CEO, FCHC
Mark Bertilrud	COO, UMC
Mary LaHaise	VP Ancillary Services, UMC
Megan Thompson	RN, Nurse Manager, FCHC
Merideth Bell	Quality and Patient Experience Director, UMC
Mike Helt	Developmental Director, FCHC

The original survey tool was developed and used by CRH. In order to revise the original survey tool to ensure the data gathered met the needs of hospitals and public health, CRH worked with the North Dakota Department of Health's public health liaison. CRH representatives also participated in a series of meetings that garnered input from the state's health officer, local North Dakota public health unit professionals, and representatives from North Dakota State University.

As part of the assessment's overall collaborative process, CRH spearheaded efforts to collect data for the assessment in a variety of ways:

- A survey solicited feedback from area residents
- Community leaders representing the broad interests of the community took part in one-on-one key informant interviews
- The community group, comprised of community leaders and area residents, was convened to discuss area health needs and inform the assessment process
- A wide range of secondary sources of data were examined, providing information on a multitude of measures, including demographics, health conditions, indicators, outcomes, rates of preventive measures, rates of disease, and at-risk behavior

CRH is one of the nation's most experienced organizations committed to providing leadership in rural health. Its mission is to connect resources and knowledge to strengthen the health of people in rural communities. CRH is the designated State Office of Rural Health program, funded by the Federal Office of Rural Health Policy, Health Resources Services Administration, and Department of Health and Human Services. CRH connects the University of North Dakota School of Medicine & Health Sciences and other necessary resources to rural communities and other healthcare organizations in order to maintain access to quality care for rural residents. In this capacity, CRH works at a national, state, and community level.

Detailed below are the methods undertaken to gather data for this assessment by convening a community group, conducting key informant interviews, soliciting feedback about health needs via a survey, and researching secondary data.

#### **Community Group**

A community group consisting of 17 community members was convened and first met on November 6, 2024. During this first community meeting, group members were introduced to the needs assessment process, reviewed basic demographic information about the community, and served as a focus group. Focus group topics included community assets and challenges, the general health needs of the community, community concerns, and suggestions for improving the community's health.

The community group met again on February 20, 2025, with 23 community members in attendance. At this second meeting the community group was presented with survey results, findings from key informant interviews and the focus group, and a wide range of secondary data relating to the general health of the population in Walsh County. The group was then tasked with identifying and prioritizing the community's health needs.

Members of the community group represented the broad interests of the community served by UMC and WCHD. They included representatives of the health community, business community, political bodies, law enforcement, education, faith community, and social service agencies. Not all members of the group were present at both meetings.

#### **Interviews**

One-on-one interviews with five key informants were conducted in person in Grafton on November 6, 2024. A representative from CRH conducted the interviews. Interviews were held with selected members of the community who could provide insights into the community's health needs. Included among the informants were public health professionals with special knowledge in public health acquired through several years of direct experience in the community, including working with medically underserved, low income, and minority populations, as well as with populations with chronic diseases.

Topics covered during the interviews included the general health needs of the community, the general health of the community, community concerns, delivery of healthcare by local providers, awareness of health services offered locally, barriers to receiving health services, and suggestions for improving collaboration within the community.

#### Survey

A survey was distributed to solicit feedback from the community and was not intended to be a scientific or statistically valid sampling of the population. It was designed to be an additional tool for collecting qualitative data from the community at large – specifically, information related to community-perceived health needs. A copy of the survey instrument is included in Appendix B, and a full listing of direct responses provided for the questions that included "Other" as an option are included in Appendix F.

The community member survey was distributed to various residents of Walsh County, which are all included in the UMC service area. The survey tool was designed to:

- Learn of the good things in the community and the community's concerns.
- Understand perceptions and attitudes about the health of the community and hear suggestions for improvement.
- Learn more about how local health services are used by residents.

#### Specifically, the survey covered the following topics:

- Residents' perceptions about community assets
- Broad areas of community and health concerns
- Awareness of local health services
- Barriers to using local healthcare
- Basic demographic information
- Suggestions to improve the delivery of local healthcare

To promote awareness of the assessment process, press releases led to published articles in two county newspapers in Walsh County. Additionally, information was published in WCHD's newsletter and on its website, all agencies' Facebook pages, and emailed surveys to large employee groups.

Approximately 50 paper copies of the community member surveys were available for distribution in Walsh County. The surveys were distributed by Community Group members and by WCHD, UMC, and FCHC, although online surveys were mostly promoted during this survey.

To help ensure anonymity, included with each survey was a postage-paid return envelope to CRH. In addition, to help make the survey as widely available as possible, residents also could request a survey by calling UMC or WCHD. The survey period ran from October 15, 2024 to November 12, 2024. Fourteen completed paper surveys were returned.

Area residents were also given the option of completing an online version of the survey, which was publicized in two community newspapers. Surveys were available online, and the QR code and online site were posted at all places the surveys were made available. Flyers with the QR code were handed out to businesses to encourage their employees to partake in the survey. One hundred seventy online surveys were completed. In total, counting both paper and online surveys, 184 community member surveys were completed, equating to a 5 percent response rate. This response rate is low for this type of unsolicited survey methodology.

#### **Secondary Data**

Secondary data were collected and analyzed to provide descriptions of: (1) population demographics, (2) general health issues (including any population groups with particular health issues), and (3) contributing causes of community health issues. Data were collected from a variety of sources, including the U.S. Census Bureau; Robert Wood Johnson Foundation's County Health Rankings, which pulls data from 20 primary data sources; the National Survey of Children's Health, which touches on multiple intersecting aspects of children's lives; North Dakota KIDS COUNT, which is a national and state-by-state effort to track the status of children, sponsored by the Annie E. Casey Foundation; and Youth Risk Behavior Surveillance System (YRBSS) data, which is published by the Centers for Disease Control and Prevention.

#### Social Determinants of Health


Social determinants of health are, according to the World Health Organization, "The circumstances in which people are born, grow up, live, work, and age and the systems put in place to deal with illness. These circumstances are in turn shaped by wider set of forces: economics, social policies, and politics."

Income-level, educational attainment, race/ethnicity, and health literacy all impact the ability of people to access health services. Basic needs, such as clean air and water and safe and affordable housing, are all essential to staying healthy and are also impacted by the social factors listed previously. The barriers already present in rural areas, such as limited public transportation options and fewer choices to acquire healthy food, can compound the impact of these challenges.

There are numerous models that depict the social determinants of health. While the models may vary slightly in the exact percentages that they attribute to various areas, the discrepancies are often because some models have combined factors when other models have kept them as separate factors.

For Figure 3, data have been derived from the County Health Rankings model, (https://www.countyhealthrankings. org/resources/county-health-rankings-model), and it illustrates that healthcare, while vitally important, plays only one small role (approximately 20%) in the overall health of individuals and, ultimately, of a community. Physical environment, social and economic factors, and health behaviors play a much larger part (80%) in impacting health outcomes. Therefore, as needs or concerns were raised through this CHNA process, it was imperative to keep in mind how they impact the health of the community and what solutions can be implemented.

Figure 3: Social Determinants of Health



In Figure 4, the Henry J. Kaiser Family Foundation (https://www.kff.org/disparities-policy/issue-brief/beyond-health-care-the-role-of-social-determinants-in-promoting-health-and-health-equity/), provides examples of factors that are included in each of the social determinants of health categories that lead to health outcomes.

For more information and resources on social determinants of health, visit the Rural Health Information Hub website, at https://www.ruralhealthinfo.org/topics/social-determinants-of-health.

Figure 4: Social Determinants of Health

Environment Context	-
Employment IncomeHousing TransportationLiteracy LanguageHunger Access to healthy optionsSocial integrationExpensesSafetyEarly childhood educationSupport vocational trainingCommunity engagementMedical billsPlaygroundsVocational trainingCommunity engagementSupportWalkabilityHigher educationDiscrimination Stress	Health coverage  Provider availability  Provider linguistic and cultural competency  Quality of care

#### **Health Outcomes**

Mortality, Morbidity, Life Expectancy, Health Care Expenditures, Health Status, Functional Limitations



# **Demographic Information**

#### **TABLE 1: WALSH COUNTY: INFORMATION AND DEMOGRAPHICS**

(From 2020 Census/2020 American Community Survey; more recent estimates used where available)

	Walsh County	North Dakota
Population (2023)	10,305	783,926
Population change (2020-2023)	-2.4%	0.6%
People per square mile (2020)	8.2	11.3
Persons 65 years or older (2023)	22.9%	16.7%
Persons under 18 years (2023)	23.4%	23.5%
Median age (2022)	44.6	36.2
White persons (2023)	93.7%	86.6%
High school graduates (2018-2022)	86.9%	93.5%
Bachelor's degree or higher (2018-2022)	17.9%	31.4%
Live below poverty line (2022)	10.7%	11.5%
Persons without health insurance, under age 65 years (2022)	10.8%	7.5%
Households with a broadband Internet subscription (2022)	87.7%	93.2%

Source: https://www.census.gov/quickfacts/fact/table/ND,US/INC910216#viewtop Source: https://data.census.gov/cedsci/profile?g=0400000US38&q=North%20Dakota

While the population of North Dakota has grown in recent years, Walsh County have seen a decrease in population since 2020. The U.S. Census Bureau estimates show that Walsh County's population decreased from 10,552 (2020) to 10,305 (2023).

#### **County Health Rankings**

The Robert Wood Johnson Foundation, in collaboration with the University of Wisconsin Population Health Institute, has developed a new approach to illustrate community health needs and provide guidance for actions toward improved health. In this report, Walsh County is compared to North Dakota rates and national benchmarks on various topics, ranging from individual health behaviors to the quality of healthcare.

The data, used in the 2024 County Health Rankings, are pulled from more than 20 data sources and then are compiled to create county rankings. Counties in each of the 50 states are ranked according to summaries of a variety of health measures. In 2024, County Health Rankings moved away from having ranks, such as 1 or 2, which would be considered the "healthiest." Their focus now is allowing users to find counties that are experiencing similar conditions, whether it is across state lines or across the county, to collaborate and create solutions.

A model of the 2024 County Health Rankings – a flow chart of how a county's rank is determined – may be found in Appendix C. For further information, visit the County Health Rankings website. www.countyhealthrankings.org.

#### **Health Outcomes**

- Length of life
- Quality of life

#### **Health Factors**

- Health behavior
  - Smoking
  - Diet and exercise
  - Alcohol and drug use
  - Sexual activity

#### **Health Factors (continued)**

- Clinical care
  - Access to care
  - Quality of care
- Social and Economic Factors
  - Education
  - Employment
  - Income
  - Family and social support
  - Community safety
- Physical Environment
  - Air and water quality
  - Housing and transit

Table 2 summarizes the pertinent information gathered by County Health Rankings as it relates to Walsh County. It is important to note that these statistics describe the population of a county, regardless of where county residents choose to receive their medical care. In other words, all of the following statistics are based on the health behaviors and conditions of the county's residents, not necessarily the patients and clients of Walsh County Health District (WCHD) and Unity Medical Center (UMC) or of any particular medical facility.

For most of the measures included in the rankings, the County Health Rankings' authors have calculated the "Top U.S. Performers" for 2024. The Top Performer number marks the point at which only 10% of counties in the nation do better, i.e., the 90th percentile or 10th percentile, depending on whether the measure is framed positively (such as high school graduation) or negatively (such as adult smoking).

Walsh County rankings within the state are included in the summary following. The measures marked with a bullet point (•) are those where a county is not measuring up to the state rate/percentage; a square (■) indicates that the county is not meeting the U.S. Top 10% rate on that measure. Measures that are not marked with a colored shape but are marked with a plus sign (+) indicate that the county is doing better than the U.S. Top 10%.

The data from County Health Rankings show that Walsh County is doing better compared to the rest of the state on two of the outcomes: premature death and number of poor mental health days. Walsh County is also doing better on all but one of the outcomes when it comes to the U.S. Top 10% ratings. The one outcome where Walsh County does not

meet the U.S. Top 10% ratings is the number of poor or fair health days.

On health factors, Walsh County performs below the North Dakota average for counties in several areas as well.

# Data compiled by County Health Rankings shows Walsh County is doing better than North Dakota in health outcomes and factors for the following indicators:

- Premature death
- Poor mental health days (in past 30 days)
- Adult obesity
- Food environment index (10=best)
- Excessive drinking
- Alcohol-impaired driving deaths
- Sexually transmitted infections
- Teen birth rate
- Mammography (screening in Medicare enrollees)
- Income inequality
- Children in single-parent households
- Social associations
- No drinking water violations
- Severe housing problems

#### Outcomes and factors in which Walsh County is performing poorly relative to the rest of the state include:

- Poor or fair health
- Poor physical health days
- Low birth weight
- Adult smoking
- Physical inactivity
- Access to exercise opportunities
- Uninsured rate
- Ratio of primary care physicians
- Ratio of dentists
- Ratio of mental health providers
- Rate of preventable hospital stays
- Flu vaccinations in Medicare enrollees
- Unemployment
- Children in poverty
- Injury deaths
- Air pollution particulate matter

#### **Table 2: Selected Measures from County Health Rankings 2024-WALSH COUNTY**

**COUNTY•** = Not meeting North Dakota Average, ■ = Not meeting U.S. Top 10 % Performers + = Meeting or exceeding U.S. Top 10% performers.

	Walsh County	U.S. Top 10%	ND
Ranking: Outcomes			
Premature death		8,000	7,600
Poor or fair health	16% • ■	14%	13%
Poor physical health days (in past 30 days)	3.5 ■	3.3	3.1
Poor mental health days (in past 30 days)	4.0 +	4.8	4.0
Low birth weight	10% • ■	8%	7%
Ranking: Factors			
Health Behaviors			
Adult smoking	19% •■	15%	16%
Adult obesity	39% •■	34%	36%
Food environment index (10=best)	9.2	7.7	9.1
Physical inactivity	28% •■	23%	25%
Access to exercise opportunities	69% •■	84%	76%
Excessive drinking	18%+	18%	23%
Alcohol-impaired driving deaths	50% •■	26%	39%
Sexually transmitted infections	119+	495.5	511.5
Teen birth rate		17	15
Clinical Care			
Uninsured	11% • ■	10%	9%
Primary care physicians	1,260:1 +	1,330:1	1,290:1
Dentists	2,480:1+•■	1,360:1	1,420:1
Mental health providers	2,480:1•■	320:1	450:1
Preventable hospital stays	4,987•■	2,681	2,945
Mammography screening (% of Medicare enrollees aged 65-74 receiving screening)	42% + •■	43%	53%
Flu vaccinations (% of fee-for-service Medicare enrollees receiving vaccination)	28% •■	46%	49%
Social and Economic Factors			
Unemployment	2.1% +	3.7%	2.1%
Children in poverty	15% +•	16%	12%
Income inequality	5.1 •■	4.9	4.4
Children in single-parent households	7% +	25%	18%
Social associations	23.9 +	15.5	9.1
Injury deaths	150 •■	80	75
Physical Environment			
Air pollution – particulate matter	4.8 +	7.4	5.0
Drinking water violations	No		
Severe housing problems	12% +	17%	12%

Source: Source: http://www.countyhealthrankings.org/app/north-dakota/2022/rankings/outcomes/overall

## Children's Health

The National Survey of Children's Health touches on multiple intersecting aspects of children's lives. Data are not available at the county level; listed below is information about children's health in North Dakota. The full survey includes physical and mental health status, access to quality healthcare, and information on the child's family, neighborhood, and social context. Data are from 2022-23. More information about the survey may be found at <a href="https://www.childhealthdata.org/learn/NSCH">www.childhealthdata.org/learn/NSCH</a>.

Key measures of the statewide data are summarized below. The rates highlighted in red signify that the state is faring worse on that measure than the national average.

#### **Table 3: Selected Measures Regarding Children's Health**

(For children ages 0-17 unless noted otherwise), 2021/2022

Health Status	North Dakota	National
Children born premature (three or more weeks early)	11.8%	11.3%
Children aged 6-17 who were overweight or obese	28%	32.2%
Children aged 0-5 who were ever breastfed	80.7%	82%
Children aged 6-17 who missed 11 or more days of school	6.2%	6.8%
Healthcare		
Children currently insured	94.6%	93.4%
Children who spent less than 10 minutes with the provider at a preventive medical visit	13.6%	19.1%
Children (1-17 years) who had preventive a dental visit in the past year	79.7%	79.2%
Children (3-17 years) received mental healthcare	14.2%	12.2%
Children (3-17 years) with problems requiring treatment did not receive mental healthcare	2.7%	3.0%
Young children (9-35 mos.) receiving standardized screening for developmental problems	45%	35.6 %
Family Life		
Children whose families eat meals together four or more times per week	74.8%	72.9%
Children who live in households where someone smokes	13.7%	11.5%
Neighborhood		
Children who live in neighborhoods with parks, recreation centers, sidewalks, and a library	90.8%	89.6%
Children living in neighborhoods with poorly kept or rundown housing	18%	23.9%
Children living in neighborhood that's usually or always safe	97.3%	95%

Source: <a href="https://www.childhealthdata.org/browse/survey">https://www.childhealthdata.org/browse/survey</a>

The data on children's health and conditions reveal that while North Dakota is doing better than the national averages on a few measures, it is not measuring up to the national averages with respect to:

- Children born premature (three or more weeks early)
- Children aged 0-5 who were ever breastfed
- Children who live in households where someone smokes

Table 4 includes selected county-level measures regarding children's health in North Dakota. The data come from North Dakota KIDS COUNT, a national and state-by-state effort to track the status of children, sponsored by the Annie E. Casey Foundation. KIDS COUNT data focus on the main components of children's well-being; more information about KIDS COUNT is available at <a href="www.ndkidscount.org">www.ndkidscount.org</a>. The measures highlighted in blue in the table are those in which the counties are doing worse than the state average. The year of the most recent data is noted.

The data show Walsh County is performing more poorly than the North Dakota average on all of the examined measures except the percentage of child food insecurity and the number of licensed childcare capacity. The most marked difference was on the measure of Medicaid recipient rate (over 9% higher rate in Walsh County).

**Table 4: Selected County-Level Measures Regarding Children's Health** 

	Walsh County	North Dakota
Child food insecurity, 2022	12.3%	13.5%
Medicaid recipient (% of population age 0-20), 2023	38.7%	29.4%
Children enrolled in Healthy Steps (CHIP) (% of population age 0-18), 2023	3.4%	2.4%
Supplemental Nutrition Assistance Program (SNAP) recipients (% of population age 0-18), 2023	18.9%	15.6%
Licensed childcare capacity (# of children), 2024	367	35,367
Four-year high school cohort graduation rate, 2022/2023	82.6%	82.7%
Victims of child abuse and neglect requiring services (rate per 1,000 children ages 0-17), 2023	12.3%	10.1%

Source: https://datacenter.kidscount.org/data#ND/5/0/char/0

Another means for obtaining data on the youth population is through the Youth Risk Behavior Survey (YRBS). The YRBS was developed in 1990 by the Centers for Disease Control and Prevention (CDC) to monitor priority health risk behaviors that contribute markedly to the leading causes of death, disability, and social problems among youth and adults in the U.S. The YRBS was designed to monitor trends, compare state health risk behaviors to national health risk behaviors, and intended for use to plan, evaluate, and improve school and community programs. North Dakota began participating in the YRBS survey in 1995. Students in grades 7-8 and 9-12 are surveyed in the spring of odd years. The survey is voluntary and completely anonymous.

North Dakota has two survey groups, selected and voluntary. The selected school survey population is chosen using a scientific sampling procedure, which ensures that the results can be generalized to the state's entire student population. The schools that are part of the voluntary sample, selected without scientific sampling procedures, will only be able to obtain information on the risk behavior percentages for their school and not in comparison to all the schools.

Table 5 depicts some of the YRBS data that have been collected in 2017, 2019, and 2021. They are further broken down by rural and urban percentages. The trend column shows a "=" for statistically insignificant change (no change), " $\uparrow$ " for an increased trend in the data changes from 2019 to 2021, and " $\downarrow$ " for a decreased trend in the data changes from 2019 to 2021. The final column shows the 2021 national average percentage. For a more complete listing of the YRBS data, see Appendix D.

**Table 5. Youth Risk Behavior Survey Results**North Dakota High School Survey
Rate Increase  $\uparrow$ , rate decrease  $\psi$ , or no statistical change = in rate from 2017-2019.

	ND 2017	ND 2019	ND 2021	ND Trend $\uparrow, \psi, =$	Rural ND Town Average	Urban ND Town Average	National Average 2021
Injury and Violence	'	,	'				
% of students who rarely or never wore a seat belt (when riding in a car driven by someone else)	8.1	5.9	49.6	<b>1</b>	9.2	5.5	5.9
% of students who rode in a vehicle with a driver who had been drinking alcohol (one or more times during the 30 prior to the survey)	16.5	14.2	13.1	=	18.2	13.7	14.1
% of students who talked on a cell phone while driving (on at least one day during the 30 days before the survey)	56.2	59.6	64.4	<b>↑</b>	64.9	64.2	NA
% of students who texted or emailed while driving a car or other vehicle (on at least one day during the 30 days before the survey)	52.6	53.0	55.4	=	59.9	55.9	36.1
% of students who were in a physical fight on school property (one or more times during the 12 months before the survey)~2017/2019~ *in 2021 replaced by* % of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)	7.2	7.1	5.0	<b>V</b>	6.2	4.4	3.0
% of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey)	8.7	9.2	9.4	=	9.7	11.6	11
% of students who were bullied on school property (during the 12 months before the survey)	24.3	19.9	15.8	<b>\</b>	19.8	15.0	15.0
% of students who were electronically bullied (includes texting, Instagram, Facebook, or other social media ever during the 12 months before the survey)	18.8	14.7	13.6	<b>V</b>	16.2	14.5	15.9
% of students who made a plan about how they would attempt suicide (during the 12 months before the survey)	14.5	15.3	14.8	=	15.1	17.2	17.6
Tobacco, Alcohol, and Other Drug Use							
% of students who currently use an electronic vapor product (e-cigarettes, vape e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens at least one day during the 30 days before the survey)	20.6	33.1	21.2	<b>\</b>	24.2	23.6	18.0
% of students who currently used cigarettes, cigars, or smokeless tobacco (on at least one day during the 30 days before the survey)	18.1	12.2	5.9	<b>V</b>	8.0	6.1	3.8

% of students who currently were binge drinking (four or more drinks for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the survey)	16.4	15.6	14.0	=	17.8	14.6	10.5
% of students who currently used marijuana (one or more times during the 30 days before the survey)	15.5	12.5	10.7	=	10.2	12.9	15.8
% of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)	14.4	14.5	10.2	¥	9.7	11.0	12.2
Weight Management, Dietary Behaviors, and Physic	al Acti	ivity					
% of students who were overweight (>= 85th percentile but <95th percentile for body mass index)	16.1	16.5	15.6	=	15.5	14.2	16.0
% of students who had obesity (>= 95th percentile for body mass index)	14.9	14.0	16.3	=	17.4	15.0	16.3
% of students who did not eat fruit or drink 100% fruit juices (during the seven days before the survey)	4.9	6.1	5.0	=	5.7	4.6	7.7
% of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the seven days before the survey)	5.1	6.6	5.9	=	5.3	6.2	9.3
% of students who drank a can, bottle, or glass of soda or pop one or more times per day (not including diet soda or diet pop, during the seven days before the survey)	16.3	15.9	16.6	=	17.5	13.8	14.7
% of students who did not drink milk (during the seven days before the survey)	14.9	20.5	26.2	<b>↑</b>	21.2	29.4	35.7
% of students who did not eat breakfast (during the seven days before the survey)	13.5	14.4	15.1	=	14.5	17.3	22.0
% of students who most of the time or always went hungry because there was not enough food in their home (during the 30 days before the survey)	2.7	2.8	2.1	=	2.2	2.1	NA
% of students who were physically active at least 60 minutes per day on five or more days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the seven days before the survey)	51.5	49.0	56.5	<b>↑</b>	58.0	55.3	NA
% of students who watched television three or more hours per day (on an average school day) *In 2021 replaced by*Percentage of students who spent three or more hours per day on screen time (in front of a TV, computer, smart phone, or other electronic device watching shows or videos, playing games, accessing the Internet, or using social media, not counting time spent doing schoolwork, on an average school day)	18.8	18.8	75.7	<b>↑</b>	75.8	78.6	75.7

% of students who played video or computer games or used a computer three or more hours per day (for something that was not schoolwork on an average school day) *In 2021, % of students who played video or computer games was combined with % of students who watch television three or more hours per day.	43.9	45.3	NA	NA	NA	NA	NA
Other							
% of students who ever had sexual intercourse	36.6	38.3	36.6	=	36.5	37.0	30
% of students who had eight or more hours of sleep (on an average school night)	31.8	29.5	24.5	<b>4</b>	28.3	23.2	22.7
% of students who brushed their teeth on seven days (during the seven days before the survey)	69.1	66.8	67.9	=	64.5	69.9	NA


Sources: https://www.cdc.gov/healthyyouth/data/yrbs/results.htm; https://www.nd.gov/dpi/districtsschools/safety-health/youth-risk-behavior-survey

#### **Low Income Needs**

The North Dakota Community Action Agencies (CAAs), as nonprofit organizations, were originally established under the Economic Opportunity Act of 1964 to fight America's war on poverty. CAAs are required to conduct statewide needs assessments of people experiencing poverty. The more recent statewide needs assessment study of lowincome people in North Dakota, sponsored by the CAAs, was performed in 2023. The needs assessment study was accomplished through the collaboration of the CAAs and North Dakota State University by means of several kinds of surveys (such as online or paper surveys, etc., depending on the suitability of these survey methods to different respondent groups) to low-income individuals and families across the state of North Dakota. In the study, the survey data were organized and analyzed in a statistical way to find out the priority needs of these people. The survey responses from low-income respondents were separated from the responses from non-low-income participants, which allows the research team to compare them and then identify the similarity, difference, and uniqueness of them in order to ensure the validity and accuracy of the survey study and avoid bias. Additionally, two comparison methods were used in the study, including cross-sectional and longitudinal comparisons. These methods allow the research team not only to identify the top specific needs under the seven need categories, including Employment, Income and Asset-Building, Education, Housing, Health and Social/Behavior Development, Civic Engagement, and Other Supports, through the cross-sectional comparison but also to be able to find out the top specific needs, regardless of which categories these needs belong to through the longitudinal comparison.



# 2023 Statewide Community Needs Assessment



Community Action Partnership of North Dakota 3233 South University Drive | Fargo, ND 58104 | 701-232-2452 www.capnd.org







# 2023 Statewide Community Needs Assessment

The Community Needs Assessment is a systematic process used to gather and analyze information about the needs and challenges of communities. These assessments are used in various fields, including public health, social services, urban planning, education, and economic development. They play a crucial role in ensuring that community resources are directed toward the most pressing issues and that community members' voices are heard in the decision-making process, ultimately leading to improved quality of life for the community as a whole.

Community Action Agencies conduct needs assessments every three years as a requirement for the Community Services Block Grant (CSBG) which supports community-based anti-poverty programs. The primary purpose of the study is to better understand the current conditions and priorities of a community so that local action plans can be developed and community resources/services can be allocated effectively to address those needs.



#### Statewide Specific Needs By Population Type

#### **Households Experiencing Poverty**

- 1. Rental Assistance
- 2 Food
- 3. Dental Insurance/Affordable Dental Care

#### **Households Not Experiencing Poverty**

- 1. Mental Health Services
- 2. Recreational Activities

Health and Social/Behavior Development

3. Safe Neighborhoods, Sidewalks, Parks

#### **Overall Combined Community Needs**

- 1. Rental Assistance
- 2.Food
- 3. Dental Insurance/Affordable Dental Care

# 

#### "Rental Assistance"

remains the first priority for respondents experiencing poverty across the state.



#### "Mental Health Services"

was the first priority need for respondents not experiencing poverty.





# Statewide Overall Needs By Population Type 39.6% 49.9% 36.8% 40.5% 41.7% 34.6% Education 30.0% 22.3% Housing 66.2% 55.7%

Civic 25.9% 15.5% 15.5% 26.6% Supports 20.2%

Responses from Households Experiencing Poverty Responses from Households Not

Experiencing Poverty

**Total Combined Responses** 

The comprehensive needs assessment was accomplished through surveys and focus groups in order to collect both quantitative and qualitative data. The surveys consist of both multiple-choice and open-ended questions with the intention of capturing both quantitative and qualitative data, and the focus groups are used to better understand the depth and breadth of the issue focusing on the collection of qualitative data.

Community Action Partnership of North Dakota 3233 South University Drive | Fargo, ND 58104 | 701-232-2452 www.capnd.org






# **Survey Results**

As noted previously, 184 community members completed the survey in communities throughout the counties in the Unity Medical Center (UMC) service area. For all questions that contained an "Other" response, all of those direct responses may be found in Appendix F. In some cases, a summary of those comments is additionally included in the report narrative. The "Total respondents" number under each heading indicates the number of people who responded to that particular question, and the "Total responses" number under the heading depicts the number of responses selected for that question (some questions allow for selection of more than one response).

The survey requested that respondents list their home ZIP code. While not all respondents provided a ZIP code, 131 did, revealing that a large majority of respondents (46%, N=60) lived in Park River, followed by Grafton (26%, N=34). These results are shown in Figure 5.

Figure 5: Survey Respondents' Home ZIP Code Total respondents: 131



Survey results are reported in six categories: demographics; healthcare access; community assets and challenges; community concerns; delivery of healthcare; and other concerns or suggestions to improve health.

#### **Survey Demographics**

To better understand the perspectives being offered by survey respondents, survey-takers were asked a few demographic questions. Throughout this report, numbers (N) instead of just percentages (%) are reported because


percentages can be misleading with smaller numbers. Survey respondents were not required to answer all questions.

#### With respect to demographics of those who chose to complete the survey:

- •Thirty-eight percent (N=59) were age 55 or older
- The majority (88%, N=133) were female
- Slightly more than half of the respondents (54%, N=84) had bachelor's degrees or higher
- The number of those working full time (77%, N=120) was seven times higher than those who were retired (11%, N=17)
- Ninety-seven percent (N=149) of those who reported their ethnicity/race were White/Caucasian
- Fourteen percent of the population (N=21) had household incomes of less than \$50,000

Figures 6 through 12 show these demographic characteristics. It illustrates the range of community members' household incomes and indicates how this assessment took into account input from parties who represent the varied interests of the community served, including a balance of age ranges, those in diverse work situations, and community members with lower incomes.

Figure 6: Age Demographics of Survey Respondents Total respondents = 155



People younger than age 18 are not questioned using this survey method.

Figure 7: Gender Demographics of Survey Respondents Total respondents = 152




Figure 8: Educational Level Demographics of Survey Respondents Total respondents = 155






Figure 9: Employment Status Demographics of Survey Respondents Total respondents = 156




Of those who provided a household income, four percent (N=6) of community members reported a household income of less than \$25,000. Forty-nine percent (N=70) indicated a household income of \$100,000 or more. This information is shown in Figure 10.

Figure 10: Household Income Demographics of Survey Respondents Total respondents = 143




Community members were asked about their health insurance status, which is often associated with whether people have access to healthcare. None of the respondents reported having no health insurance or being under-insured. The most common insurance types were insurance through one's employer (N=127), followed by Medicare (N=21), and self-purchased (N=27).

Figure 11: Health Insurance Coverage Status of Survey Respondents Total respondents = 155\*



As shown in Figure 12, nearly all of the respondents were White/Caucasian (97%). This statistic was slightly higher with the race/ethnicity of the overall population of Walsh County; the U.S. Census indicates that 93.7% of the population is White in Walsh County.

Figure 12: Race/Ethnicity Demographics of Survey Respondents Total respondents = 153\*




#### **Community Assets and Challenges**

Survey respondents were asked what they perceived as the best things about their community in four categories: people, services and resources, quality of life, and activities. In each category, respondents were given a list of choices and asked to pick the three best things. Respondents occasionally chose less than three or more than three choices within each category. If more than three choices were selected, their responses were not included. The results indicate there is consensus (with at least 125 respondents agreeing) that community assets include:

- Safe place to live, little/no crime (N=150)
- Family-friendly (N=144)
- People are friendly, helpful, supportive (N=143)
- Healthcare (N=159)
- People who live here are involved in their community (N=127)

Figures 13 to 16 illustrate the results of these questions.

Figure 13: Best Things About the PEOPLE in Your Community Total responses = 182\*



Included in the "Other" category of the best things about the people was the location to work site.

Figure 14: Best Things About the SERVICES AND RESOURCES in Your Community Total responses = 181\*






Figure 15: Best Things About the QUALITY OF LIFE in Your Community Total responses = 182\*



The one "Other" response regarding the best things about the quality of life in the community was access to nature.

Figure 16: Best Thing About the ACTIVITIES in Your Community Total responses = 172\*



#### **Community Concerns**

At the heart of this CHNA was a section on the survey asking survey respondents to review a wide array of potential community and health concerns in five categories and pick their top three concerns. The five categories of potential concerns were:

- Community/environmental health
- Availability/delivery of health services
- Youth population
- Adult population
- Senior population

With regard to responses about community challenges, the most highly voiced concerns (those having at least 60 respondents) were:


- Having enough child daycare services (N=100)
- Depression/anxiety youth (N=94)
- Alcohol use and abuse adults (N=83)
- Attracting and retaining young families (N=77)
- Depression/anxiety adult (N=66)
- Not enough affordable housing (N=62)
- Cost of long-term/nursing home care (N=61)
- Cost of health insurance (N=60)

#### The other issues that had at least 45 votes included:

- Availability of resources to help the elderly stay in their homes (N=59)
- Obesity/overweight adult (N=57)
- Not enough places for exercise/wellness activities (N=56)
- Not getting enough exercise / physical activity (N=53)
- Smoking and tobacco use (second-hand smoke) youth (N=53)
- Alcohol use and abuse youth (N=49)
- Assisted living options (N=47)


Figures 17 through 22 illustrate these results.

Figure 17: Community/Environmental Health Concerns
Total responses = 167\*




In the "Other" category for community and environmental health concerns, the following were listed: Effective local government, lack of restaurants, daycare shortage, parking at hospital, no townhomes-condo type living, different from assisted living or small apartments, and noise problem with planes buzzing city.

Figure 18: Availability/Delivery of Health Services Concerns
Total responses = 162\*




Respondents who selected "Other" identified concerns in the availability/delivery of health services as parking at the hospital and HIPAA violation.

Figure 19: Youth Population Health Concerns Total responses = 159\*




Listed in the "Other" category for youth population concerns were bullying/cyberbullying, childcare, need a swimming pool in Park River, amount of time spent on their phones, and delinquency.

Figure 20: Adult Population Concerns Total responses = 165\*



Lack of connection with other adults and gambling in bars were indicated in the "Other" category for adult population concerns.

Figure 21: Senior Population Concerns Total responses = 155\*



In an open-ended question, respondents were asked what single issue they feel is the biggest challenge facing their community. Two categories emerged above all others as the top concerns:

- 1. Lack of child daycare services
- 2. Need for mental health


Other biggest challenges that were identified were access to fresh food, affordable housing options, community involvement, drugs, local government, lack of retail shopping options, more resources for the elderly, need more physical activities for the community, not enough activities for children in the winter, poverty, retaining young families, and well-paying jobs.

## **Delivery of Healthcare**

The survey asked residents what they see as barriers that prevent them, or other community residents, from receiving healthcare. The most prevalent barrier perceived by residents was no insurance or limited insurance (N=40), with the next highest reported as not knowing about local services (N=26). After these items, the next most commonly identified barriers were not haven't access to transportation services (N=25), and not affordable (N=23). The majority of concerns indicated in the "Other" category were in regard to no parking for patients, not enough nurses or CNAs, privacy, not wellness focused, and elderly cannot get information about services because they do not know how to access the internet or social media platforms.


Figure 22 illustrates these results.

Figure 22: Perceptions About Barriers to Care Total responses = 121\*



Considering a variety of healthcare services offered by Walsh County Health District (WCHD), respondents were asked to indicate if they were aware of the healthcare services offered though WCHD and to also indicate what, if any, services they or a family member have used at WCHD, at another public health unit, or both (See Figure 23).

Figure 23: Awareness and Utilization of Public Health Services Total responses = 113\*




In an open-ended question, respondents were asked what specific healthcare services, if any, they think should be added locally. The number one desired service to add locally was mental/behavioral health and addiction services. Other requested services included:

- Specialist dermatology
- Home visits through PCP
- Transportation
- More local appointments by specialists (OBGYN, Audiologists, etc.)
- Fitness classes for all ages of community members
- Family planning services through public health
- Integrative Health
- Counseling
- Home safety assessments for seniors
- More parking by hospital and clinic
- Weight management
- Free place to exercise
- Add silver sneakers to the medicine center
- Orthopedic
- Educational classes or events wellness and disease prevention, weight management, healthy habit building, nutrition, etc.

The key informant and focus group members felt that the community members were aware of the majority of the health system and public health services. There were a number of services where they felt the hospital should increase marketing efforts, these included therapy services (PT, OT, speech), colon cancer screenings, oncology offerings, MRI truck services, psych services, drug counseling, mental health/addiction counseling, and diabetes and nutrition counseling.

Respondents were asked where they go to for trusted health information. Primary care providers (N=140) received the highest response rate, followed by other healthcare professionals (N=92), and then web/internet searches (N=73). See figure below.


Figure 24: Sources of Trusted Health Information Total responses = 155\*



In the "Other" category, one respondent listed podcasts and books as their source of trusted information.


Respondents were asked how they find information about local health services. Healthcare professionals (N=105) received the highest response rate, followed by word of mouth (N=96), and then Facebook (N=93).

Figure 25: Sources of Information About Local Health Services Total responses = 154\*




When asked about their awareness and utilization of general and acute services, 95% (N=146) were aware of the clinic and 73% (N=112) were aware of the emergency room. See figure below.

Figure 26: Awareness/Use of General and Acute Services Total responses = 154\*




When asked about their awareness and utilization of screening and therapy services, 84% (N=124) were aware of laboratory services, and 82% (N=121) were aware of physical therapy services. Diet instruction received the fewest responses with 49% (N=73).

Figure 27: Awareness/Use of Screening and Therapy Services Total responses = 148\*




When asked about their awareness and utilization of mental health services, 65% (N=71) were aware of Senior Life Solutions. Addiction counseling received the fewest responses with 39% (N=43).

Figure 28: Awareness/Use of Mental Health Services Total responses = 109\*




Respondents were asked what forms of support they have given to any facility's foundation. Giving Hearts Day (N=99) received the highest response rate, followed by gala events (N=62), and then cash or stock gifts (N=51). For "Other" category, Harvest Fest and donated gift baskets for auctions were listed.

Figure 29: Forms of Support for Any Facility Foundation Total responses = 137\*



In an effort to gauge ways that community members would be most likely to financially support facility improvements/new equipment, a question was included asking them to select ways they are most likely to support facility improvements/new equipment at Unity Medical Center (UMC) and First Care Health Center (FCHC) (see Figure 30). Recommendations in the "Other" category included parking, equipment and facility expansion, elevator, and fitness items including indoor pool and outpatient therapy services. Additional services also included community center, mental health, and better signage in the Grafton area.

Figure 30: Capital Improvements that Would be Financially Supported Total responses = 94\*



The final question on the survey asked respondents to share concerns and suggestions to improve the delivery of local healthcare. Since this was a collaborative Community Health Needs Assessment, some of the issues respondents listed do not specify if it is FCHC issue or UMC issue. The responses varied from focusing on parking issues to having more healthcare related events.

A number of respondents stated they would like access to fitness centers that are affordable. With inflation and other financial uncertainties currently happening, families voiced the need to be more cautious with their spending. Paying for a monthly pass at a fitness center may not be possible.

Another issue was availability of appointments. One respondent stated that they choose to go elsewhere because they are able to be seen sooner than in UMC. Expanding appointment times might help with this issue, if there are is enough staffing to fill those new times.

A lack of trust and confidence was noted a few times. During the focus group and one-on-one meetings, this issue was also expressed. No particular incident was reported, but they mention having bad experiences at UMC. One participant suggested more confidentiality training to protect patient's medical information.

There needs to be continued promotion of the clinic and hospital in order to keep it financially stable. The community takes local healthcare for granted, and if the community does not support and utilize healthcare, they risk losing it. There is a fear that the hospital is overspending their funding and increasing their debt. The health facilities should utilize the newspapers more for marketing and local events.

Others believe that UMC does a great job of identifying and delivering healthcare within its means and offers a wide variety of healthcare services.

# Findings from Key Informant Interviews and the Community Meeting

Questions about the health and well-being of the community, similar to those posed in the survey, were explored during key informant interviews with community leaders and health professionals and also with the community group at the first meeting. The themes that emerged from these sources were wide-ranging, with some directly associated with healthcare and others more rooted in broader social and community matters.

Generally, overarching issues that developed during the interviews and community meeting can be grouped into five categories (listed in alphabetical order):

- Alcohol use and abuse
- Cost of long-term/nursing home care
- Depression/anxiety
- Having enough child daycare services
- Not enough affordable housing

To provide context for the identified needs, following are some of the comments made by those interviewed about these issues:

#### Alcohol use and abuse

- There is too much alcohol use and abuse in the community.
- This is the most important concern that we need to address.
- Rates are high for the community, six out of eight businesses failed on compliance checks while looking to see who checks for identification. The culture around alcohol is concerning.

#### Cost of long-term/nursing home care

- Families have to decide to spend their life savings for long-term care.
- There are no programs that help people who do not need to be in a facility but also need help with daily things.

#### Depression/anxiety

- There needs to be a change in how mental health and depression/anxiety are addressed. There is nothing for people to address these issues or they're too expensive if they don't qualify for assistance.
- Need more resources for people to utilize locally.
- Need better screening for kids at risk of abuse and neglect. These issues lead to depression and suicide.

#### Having enough child daycare services

- There are no openings for daycare services.
- People have to rely on family members to watch their children.
- Families have to decide whether it's worth it to go to work because daycare cost are too high.

#### Not enough affordable housing

People are not able to move into the community because there is nothing available to buy.

• Prices have gone up too much for anyone to afford buying. Renting is just as expensive; you can't save money because it all goes to living expenses.

## **Community Engagement and Collaboration**

Key informants and focus group participants were asked to weigh in on community engagement and collaboration of various organizations and stakeholders in the community. Specifically, participants were asked, "On a scale of 1 to 5, with 1 being no collaboration/community engagement and 5 being excellent collaboration/community engagement, how would you rate the collaboration/engagement in the community among these various organizations?" This question was not intended to rank services provided. They were presented with a list of 13 organizations or community segments to score. According to these participants, the hospital, pharmacy, public health, and other long-term care (including nursing homes/assisted living) are the most engaged in the community. The averages of these scores (with 5 being "excellent" engagement or collaboration) were:

- Hospital (healthcare system) (4.75)
- Emergency services, including ambulance and fire (4.5)
- Business and industry (4.0)
- Law enforcement (4.0)
- Long-term care, including nursing homes and assisted living (4.0)
- Public health (4.0)
- Schools (4.0)
- Economic development organizations (3.75)
- Faith-based (3.75)
- Pharmacies (3.75)
- Other local health providers, such as dentists and chiropractors (3.5)
- Clinics not affiliated with the main hospital system (3.25)
- Human/social services (2.5)
- Indian/Tribal Health Services (2.5)



# **Priority of Health Needs**

A community group met at Unity Medical Center on February 20, 2025. Twenty-three community members attended the meeting. Representatives from the Center for Rural Health (CRH) presented the group with a summary of this report's findings, including background and explanation about the secondary data, highlights from the survey results (including perceived community assets and concerns, and barriers to care), and findings from the key informant interviews.

Following the presentation of the assessment findings, and after considering and discussing the findings, all members of the group were asked to identify what they perceived as the top four community health needs. All of the potential needs were listed on large poster boards, and each member was given four stickers to place next to each of the four needs they considered the most significant.

#### The results were totaled, and the concerns most often cited were:

- Availability of mental health services (11 votes)
- Availability of resources to help elderly stay in their homes (10 votes)
- Attracting and retaining young families (9 votes)
- Depression/anxiety (9 votes)

From those top four priorities, each person put one sticker on the item they felt was the most important. The rankings were:

- 1. Attracting and retaining young families (9 votes)
- 2. Availability of mental health services (7 votes)

- 3. Depression/anxiety (4 votes)
- 4. Availability of resources to help elderly stay in their homes (3 votes)

Following the prioritization process during the second meeting of the community group and key informants, the number one identified need was attracting and retaining young families. A summary of this prioritization may be found in Appendix E.

# **Comparison of Needs Identified Previously**

Top Needs Identified 2022 CHNA Process	Top Needs Identified 2025 CHNA Process
Attracting and retaining young families	Attracting and retaining young families
Availability of mental health services	Availability of mental health services
Alcohol use and abuse	Depression/anxiety
Drug use and abuse	Availability of resources to help elderly
Depression/anxiety	stay in their homes

The current process did identify two identical common needs from 2022. Attracting and retaining young families and availability of mental health services was also identified in the previous cycle. Youth obesity/overweight and availability of resources to help elderly stay in their homes are two needs that were identified this Community Health Needs Assessment (CHNA) cycle.

Unity Medical Center (UMC) invited written comments on the most recent CHNA report and implementation strategy both in the documents and on the website where they are widely available to the public. No written comments have been received.

Upon adoption of this CHNA report by the UMC board vote, a notation will be documented in the board minutes reflecting the approval and then the report will be widely available to the public on the hospital's website; a paper copy will be available for inspection upon request at the hospital. Written comments on this report can be submitted to UMC.

# **Hospital and Community Projects and Programs Implemented to Address Needs Identified in 2022**

In response to the needs identified in the 2022 CHNA process, the following actions were taken:

Reducing Adult Obesity: They are happy to report that their culinary medicine program continues to serve many regional patients. This program, led by a licensed registered dietician, is offered to their patients through provider referrals. In addition, UMC added pulmonary rehab classes and expanded cardiac rehab classes. These two services promote overall wellness through exercise and education on health and lifestyle changes.

The UMC dietician consistently offers nutrition-focused events for the community and UMC staff. Cooking classes and weight loss classes have been open for community member enrollment. Participation in the annual UMC Kids Clinic showcases healthy food choices for children. An expansive salad bar is available daily as a lunch option for UMC staff and visitors. This amazing addition promotes healthy eating and allows everyone to explore nutritious options that they may not choose regularly.

Another way that UMC is striving to increase the health and wellness of employees is through the activities of the UMC Health and Wellness Committee. This committee has led a weekly walking group and cooking demonstrations

for staff. They share healthy recipes and tips with staff via postings and emails and sponsors monthly fitness challenges. A staff led exercise group was also born out of this committee. Classes are regularly held in the Rehab Services space, and more and more employees are utilizing the equipment during their free time to lose weight and increase strength. UMC implemented a new benefit in 2024, which provided healthy spending dollars for all staff.

UMC partnered with the city of Grafton and Grafton Parks and Recreation in 2023 to host a 5k run/walk for the community. This was a great event that brought the community together, promoted physical activity and a healthy lifestyle, while raising money for the city pool.

The partnership between UMC and Walsh County Social Services was extended through collaborative classes focused on utilizing healthy food substitutes and alternative cooking methods. This information was then passed on to their clients.

The Walsh County Food Pantry, located in Grafton, and the Park River Food Pantry are available to members of the community. The local church communities, the Walsh County Health Department and the school districts are partnering with the food pantry to increase access to the services and products for citizens in need across the county. UMC provides healthy recipes and food preparation tips for the typical food options available at the pantries. The food pantry then distributes this information to those utilizing the services.

The physical therapy department has also expanded to provide numerous new programs for many different patient populations. UMC now offers the Lee Silverman Voice Treatment (LSVT) BIG Program to assist people with Parkinson's Disease. Women's Health and "Fit as a Mama" BirthFit classes continue to improve the health of their female patients. Also, the therapists have enhanced already close relationships with local businesses through Worksite Wellness and Industrial Medicine assessments and activities offered onsite. Special attention is given to each patient through individualized programming, such as functional movement screening for school athletes and free athletic injury screens. Patients of all ages seek treatment, rehabilitation, and performance enhancement coaching from their large team of providers.

Recruiting Healthcare Staff: UMC is dedicated to the education and training of the next generation of healthcare providers. They partner with many local colleges, high schools, and technology centers and their service providers in nearly all departments gladly take the role of mentor for graduate, undergraduate, and high school students/interns. UMC has hosted Rural Collaborative Opportunities for Occupational Learning in Health (R-COOL-Health) Scrubs Camp for 9th grade students throughout the area since 2021 in partnership with CRH. This full day event provides exposure to all areas of healthcare through hands-on activities and engaging speakers from UMC and community healthcare partners.

Local high school students are welcome to complete paid summer internships and half-day job shadow experiences with UMC staff. Some of the most recent hosts for these students include departments, such as information technology, rehab services, radiology, human resources, marketing, nursing, dietary, surgical services, and laboratory. Exposure to these various areas of healthcare is crucial to recruitment efforts.

In 2024 UMC partnered with Be More Colorful to create virtual reality job shadow experiences. This unique experience allows job hunters to explore career fields firsthand. These experiences are a great supplemental resource to share with others when they network with students at the various hiring fairs and school events that they attend. Another recruiting tool that UMC has is the fact that they have been named to Modern Healthcare's Best Places to Work list for three years in a row. They are grateful to be recognized as an outstanding employer which prioritizes workplace excellence and employee satisfaction.

Their generous foundation offers scholarship applications to UMC staff who want to continue their education. Another separate opportunity to pursue a higher degree is through established apprenticeship programs that UMC has with local colleges. Through these programs UMC is able to provide compensation and tuition costs for nursing students pursuing a CNA to LPN and LPN to RN through Lake Region State College. UMC is also a part of the Walsh County Career Builders (WCCB) which provides matching funds to help local businesses attract and retain talent through a scholarship and student loan repayment program.

Marketing campaigns done throughout the year highlight areas of employment need. UMC offers a competitive benefit package and wages. The Human Resources department reviews all wages annually and market adjustments

are made for those positions whose pay falls below the market.

Increasing Access to Specialist Providers, Including Behavioral Health Providers: In 2024 UMC hired a Licensed Professional Counselor (LPC). This new team member provides behavioral health counseling and addiction evaluations for patients across the region. They also are proud to offer ADHD testing in their rural health clinic. If a patient screens positive, their providers can offer treatment plans and follow-up care as needed to support the patient.

Staff at UMC understand the need for continuous improvement efforts in healthcare. Through multidisciplinary teamwork, an improved referral workflow was designed and implemented. This new process has facilitated timely appointment scheduling with specialists from referrals made by UMC providers. Some of the specialists that they refer their patients to are able to see them in the Grafton clinic space in person or through telemedicine appointments. Due to an increased demand for specialized services closer to home, UMC is expanding the Grafton Family Clinic space to include an additional 11 exam rooms and supplementary work and waiting spaces. Some of the specialists that they plan to host include audiology, oncology, surgery, orthopedics, cardiology, podiatry, ophthalmology, and obstetrics.

To expand prenatal services to the region, UMC added an additional ultrasound technician and a new ultrasound machine. Two UMC providers offer prenatal care for pregnant women up to 28-35 weeks gestation. UMC also offers Non-stress Tests (NSTs). Having the NSTs done locally is convenient for the patients as it reduces travel for the patient, and they provide valuable information for the telemedicine providers off site who may see these patients.

Additional testaments to the growth that UMC is experiencing include their health and wellness coaching program, rehabilitation services, and surgical services. Health coaches work one-on-one with patients to reach health goals set by the patient and their provider. UMC recently hired a pediatric physical therapist, two occupational therapists, an occupational therapy technician, and a speech therapist to supplement their growing rehabilitation services department serving both the inpatient and outpatient populations. Expanded surgical offerings including cataract removal, joint replacement, and general surgeries. They hired a general surgeon who is able to perform da Vinci surgical robot procedures at UMC.

The above implementation plan for UMC is posted on UMC's website at <a href="https://www.unitymedcenter.com/about-us/patientresources.html">https://www.unitymedcenter.com/about-us/patientresources.html</a>.

# Next Steps – Strategic Implementation Plan

Although a CHNA and strategic implementation plan are required by hospitals and local public health units considering accreditation, it is important to keep in mind the needs identified, at this point, will be broad community-wide needs along with healthcare system-specific needs. This process is simply a first step to identify needs and determine areas of priority. The second step will be to convene the steering committee, or other community group, to select an agreed-upon prioritized need on which to begin working. The strategic planning process will begin with identifying current initiatives, programs, and resources already in place to address the identified community need(s). Additional steps include identifying what is needed and feasible to address (taking community resources into consideration) and what role and responsibility the hospital, clinic, and various community organizations play in developing strategies and implementing specific activities to address the community health need selected. Community engagement is essential for successfully developing a plan and executing the action steps for addressing one or more of the needs identified.

## **Community Benefit Report**

While not required, CRH strongly encourages a review of the most recent Community Benefit Report to determine how/if it aligns with the needs identified, through the CHNA as well as the implementation plan.

The community benefit requirement is a long-standing requirement of nonprofit hospitals and is reported in Part I of the hospital's Form 990. The strategic implementation requirement was added as part of the ACA's CHNA requirement. Not-for-profit healthcare organizations demonstrate their commitment to community service through organized and sustainable community benefit programs providing:

- Free and discounted care to those unable to afford healthcare.
- Care to low-income beneficiaries of Medicaid and other indigent care programs.
- Services designed to improve community health and increase access to healthcare.

Community benefit is also the basis of the tax-exemption of not-for-profit hospitals. The Internal Revenue Service (IRS), in its Revenue Ruling 69–545, describes the community benefit standard for charitable tax-exempt hospitals. Since 2008, tax-exempt hospitals have been required to report their community benefit and other information related to tax-exemption on the IRS Form 990 Schedule H.

## What Are Community Benefits?

Community benefits are programs or activities that provide treatment and/or promote health and healing as a response to identified community needs. They increase access to healthcare and improve community health.

A community benefit must respond to an identified community need and meet at least one of the following criteria:

- Improve access to healthcare services
- Enhance the health of the community
- Advance the medical or health knowledge
- Relieve or reduce the burden of government or other community efforts

#### A program or activity should not be reported as a community benefit if it is:

- Provided for marketing purposes
- Restricted to hospital employees and physicians
- Required of all healthcare providers by rules or standards
- Questionable as to whether it should be reported
- Unrelated to health or the mission of the organization

# **Appendix A – Critical Access Hospital Profile**



Critical Access Hospital Profile Spotlight on: Grafton, North Dakota

# Unity Medical Center

**Administrator/ CEO:** 

Alan O'Neil

**City Population:** 4,170 (2020)<sup>1</sup>

**County Population:** 10,563 (2020)<sup>1</sup>

County Median Household Income:

\$68,082 (2022 estimate)1

County Median Age: 44.6 years (2022 estimate)<sup>1</sup>

Hospital Beds: 14
Trauma Level: V

**Critical Access** Hospital

**Designation: 2001** 

#### Mission

Unity Medical Center provides access to quality healthcare for the region.

County: Walsh

Address: 164 W 13th Street Grafton, ND 58237

Phone: (701) 352-1620 Fax: (701) 352-1671

Web: www.unitymedcenter.com

Unity Medical Center and its predecessors, Grafton Deaconess Hospital, St. Joseph's Hospital, and Grafton Family Clinic, have been a vital part of the Grafton community for more than 120 years. We were founded to serve a growing segment of our community in need of accessible services. Today Unity Medical Center is an award winning, incorporated, community-owned and operated health care facility serving the greater Grafton, North Dakota region. Included within Unity is a 14-bed critical access hospital and two primary care clinics (Grafton Family Clinic and Park River Family Clinic) licensed by the North Dakota Department of Health. The hospital completed a 36,000 square foot expansion in 2021 that added a new Surgery Center, Emergency Department, Rehabilitation Services, dedicated patient floor with 11 private rooms, and a Rural Medical Education Center. A two-story Grafton Family Clinic addition will be completed early 2025. The main floor will be used by Unity's providers and nursing staff. The second floor will be used by the General Surgeon and visiting specialty providers. Unity Medical Center will be serving the region for decades to come with a facility that is not only modern in appearance but is extremely functional and provides a higher degree of safety for patients and employees.


Our providers and nurses are educated to handle a wide variety of cases, putting their experience to work for you. In addition, Unity Medical Center has access to some of the area's most respected specialists. You don't have to leave home to get the care you deserve - healing happens right here in Grafton, with your friends at Unity Medical Center, where you can count on the highest level of medical care available, all day, every day.

#### Services

- 24-hour emergency department (Trauma V)
- Acute, swing bed, and respite
- Cardiopulmonary rehab
- Chemotherapy/antibiotic therapy
- Health coaching (chronic disease management)
- Diabetic services and education
- · Dietary/nutrition counseling
- Family Medicine Clinics Grafton and Park River
- Footcare clinic
- Laboratory and Pathology
- Mental health and addiction counseling
- Pharmacy services
- · Pediatric therapy speech,

- occupational, and physical therapy
- Radiology 3D mammography, body composition analysis, CT scan, DEXA scan (bone density), digital X-ray, echocardiogram, MRI, 2D/3D ultrasound
- Rehabilitation services physical, speech and occupational therapy
- Respiratory therapy home oxygen, CPAP, sleep studies
- Specialty services including cardiology, hearing testing and hearing aids, obstetrics, oncology, ophthalmology, orthopedics, podiatry, and psychiatry
- Surgery: general, cataracts, orthopedics
- Telemedicine
- Tobacco cessation

## **North Dakota Critical Access Hospitals**



Independently owned

H CommonSpirit Health

Sanford Health

**Hospital Ownership** 

Trinity

[] Indian Health Services

■ Sisters of Mary of the Presentation Health System

#### **Overview**

Center for Rural Health

Grafton is located in northeastern North Dakota, the heart of the Red River Valley, which comprises some of the richest soil in the world. The city, an attractive residential community, is a major retail trade center, and a primary market and distribution center for agricultural commodities produced in the surrounding area. Grafton's school system provides educational opportunities to students K-12. Grafton Parks and Recreation Department offers an extensive number of organized sports programs and activities for all ages. Facilities include a heated swimming pool, eight tennis courts, two outdoor skating rinks, and two parks. The winter sports arena is home to hockey and figure skating programs. Other local facilities house pickleball courts, ice sheets for curling, multipurpose gymnasium space, and an archery range. To accommodate growth in high school and youth programs, baseball and softball complexes have been expanded and improved, and the school has lighted football field and track field.

# **Local Sponsors and Grant Funding Sources**

 Center for Rural Health -SHIP Grant (Small Hospital Improvement Program

#### Sources

<sup>1</sup> US Census Bureau; American Factfinder; Community Facts



ruralhealth.und.edu

**Updated 1/2025** 

# **Appendix B – CHNA Survey Instrument**









#### **Walsh County Health Survey**

First Care Health Center, Unity Medical Center, and Walsh County Public Health are interested in hearing from you about community health concerns.

The focus of this effort is to:

- · Learn of the good things in your community as well as concerns in the community
- Understand perceptions and attitudes about the health of the community, and hear suggestions for improvement
- Learn more about how local health services are used by you and other residents

If you prefer, you may take the survey online at <a href="https://tinyurl.com/Walsh2024">https://tinyurl.com/Walsh2024</a> or by scanning on the QR Code at the right.

Surveys will be tabulated by the Center for Rural Health at the University of North Dakota School of Medicine and Health Sciences. Your responses are anonymous, and you may skip any question you do not want to answer. Your answers will be combined with other responses and reported only in total. If you have questions about the survey, you may contact Brittany Dryburgh at 701.777.4002.

Surveys will be accepted through November 12, 2024. Your opinion matters – thank you in advance!

**Community Assets:** Please tell us about your community by **choosing up to three options** you most agree with in each category below.

1.	Considering the <b>PEOPLE</b> in your community, the best thing	gs ar	re (choose up to <u>THREE</u> ):
	Community is socially and culturally diverse or becoming more diverse Feeling connected to people who live here Government is accessible People are friendly, helpful, supportive		People who live here are involved in their community People are tolerant, inclusive, and open-minded Sense that you can make a difference through civic engagement Other (please specify):
2.	Considering the SERVICES AND RESOURCES in your comm	unit	ry, the best things are (choose up to <u>THREE</u> ):
	Access to healthy food Active faith community Business district (restaurants, availability of goods) Community groups and organizations Healthcare		Opportunities for advanced education Public transportation Programs for youth Quality school systems Other (please specify):
3.	Considering the QUALITY OF LIFE in your community, the	bes	t things are (choose up to <u>THREE</u> ):
	, , , , , , , , , , , , , , , , , , , ,		Job opportunities or economic opportunities Safe place to live, little/no crime Other (please specify):
4.	Considering the <b>ACTIVITIES</b> in your community, the best the	ning	s are (choose up to <u>THREE</u> ):
	Activities for families and youth Arts and cultural activities Local events and festivals		Recreational and sports activities Year-round access to fitness opportunities Other (please specify):

in each category. 5. Considering the **COMMUNITY /ENVIRONMENTAL HEALTH** in your community, concerns are (choose up to THREE): □ Active faith community ☐ Having enough quality school resources ☐ Attracting and retaining young families ☐ Not enough places for exercise and wellness activities ☐ Not enough public transportation options, cost of ☐ Not enough jobs with livable wages, not enough to live on public transportation ☐ Not enough affordable housing ☐ Racism, prejudice, hate, discrimination ☐ Poverty ☐ Traffic safety, including speeding, road safety, seatbelt use, and drunk/distracted driving ☐ Changes in population size (increasing or decreasing) ☐ Physical violence, domestic violence, sexual abuse ☐ Crime and safety, adequate law enforcement personnel ☐ Child abuse ☐ Water quality (well water, lakes, streams, rivers) Bullying/cyber-bullying Recycling ☐ Air quality ☐ Homelessness ☐ Litter (amount of litter, adequate garbage collection) Other (please specify): ☐ Having enough child daycare services 6. Considering the AVAILABILITY/DELIVERY OF HEALTH SERVICES in your community, concerns are (choose up to THREE): ☐ Ability to get appointments for health services within Emergency services (ambulance & 911) available 24/7 Ability/willingness of healthcare providers to work together to coordinate patient care within the health ☐ Extra hours for appointments, such as evenings and system. weekends ☐ Ability/willingness of healthcare providers to work Availability of primary care providers (MD,DO,NP,PA) together to coordinate patient care outside the local and nurses community. ☐ Ability to retain primary care providers ☐ Patient confidentiality (inappropriate sharing of (MD,DO,NP,PA) and nurses in the community personal health information) ☐ Availability of public health professionals ☐ Not comfortable seeking care where I know the □ Availability of specialists employees at the facility on a personal level Quality of care ☐ Not enough health care staff in general ☐ Cost of health care services ☐ Availability of wellness and disease prevention □ Cost of prescription drugs services ☐ Cost of health insurance ☐ Availability of mental health services ☐ Adequacy of health insurance (concerns about out-of-☐ Availability of substance use disorder treatment pocket costs) services ☐ Understand where and how to get health insurance ☐ Adequacy of Indian Health Service or Tribal Health ☐ Availability of hospice Services

☐ Other (please specify): \_\_\_\_\_

Community Concerns: Please tell us about your community by choosing up to three options you most agree with

☐ Availability of dental care

☐ Availability of vision care

7.	Considering the YOUTH POPULATION in your community,	, cor	ncerns are (choose up to <u>THREE</u> ):
	Alcohol use and abuse Drug use and abuse (including prescription drug abuse) Smoking and tobacco use, exposure to second-hand smoke or vaping (juuling) Cancer Diabetes Depression/anxiety Stress Suicide Not enough activities for children and youth Teen pregnancy Sexual health		Diseases that can spread, such as sexually transmitted diseases or AIDS Wellness and disease prevention, including vaccine-preventable diseases Not getting enough exercise/physical activity Obesity/overweight Hunger, poor nutrition Crime Graduating from high school Availability of disability services Other (please specify):
8.	Considering the <b>ADULT POPULATION</b> in your community,	con	cerns are (choose up to <u>THREE</u> ):
	Alcohol use and abuse Drug use and abuse (including prescription drug abuse) Smoking and tobacco use, exposure to second-hand smoke or vaping (juuling) Cancer Lung disease (i.e. emphysema, COPD, asthma) Diabetes Heart disease Hypertension Dementia/Alzheimer's disease Other chronic diseases: Depression/anxiety		Stress Suicide Diseases that can spread, such as sexually transmitted diseases or AIDS Wellness and disease prevention, including vaccine-preventable diseases Not getting enough exercise/physical activity Obesity/overweight Hunger, poor nutrition Availability of disability services Other (please specify):
9.	Considering the SENIOR POPULATION in your community	y, co	ncerns are (choose up to <u>THREE</u> ):
	Ability to meet needs of older population Long-term/nursing home care options Assisted living options Availability of resources to help the elderly stay in their homes Cost of activities for seniors Availability of activities for seniors Availability of resources for family and friends caring for elders Quality of elderly care Cost of long-term/nursing home care  What single issue do you feel is the biggest challenge face		Availability of transportation for seniors Availability of home health Not getting enough exercise/physical activity Dementia/Alzheimer's disease Depression/anxiety Suicide Alcohol use and abuse Drug use and abuse (including prescription drug abuse) Availability of activities for seniors Elder abuse Other (please specify):  your community?
-			

## **Delivery of Healthcare**

11.	$\label{thm:prevents} What \textbf{PREVENTS} community \ residents$	from	receiving he	alth	care? (Choose <u>ALI</u>	tha	t apply)
	Can't get transportation services Concerns about confidentiality Distance from health facility Don't know about local services Don't speak language or understand cu Lack of disability access Lack of services through Indian Health S Limited access to telehealth technology providers at another facility through a monitor/ No insurance or limited insurance	Servi / (pat	ces ients seen by		Not able to see s Not accepting ne Not affordable Not enough prov Not enough ever Not enough spec	ame w p ider ing ialis	s (MD, DO, NP, PA) or weekend hours ts
12.	Where do you turn for trusted health in	nforn	nation? (Cho	ose <u>.</u>	ALL that apply)		
	Other healthcare professionals (nurses, of dentists, etc.) Primary care provider (doctor, nurse practice assistant) Public health professional				Word of mouth, fo	rom	et (WebMD, Mayo Clinic, Healthline, etc.) others (friends, neighbors, co-workers,
	Considering <b>GENERAL and ACUTE SER\</b> used in the past year)? (Choose <u>ALL</u> tha			your	community, which	ch se	ervices are you aware of (or have
	Anesthesia services Cardiology (visiting specialist) Chronic Care Management Clinic Emergency room Hospital (acute care)		Laparoscopi Oncology (v Ophthalmol (visiting special Orthopedic	isitin logy alist)	g specialist) (eye/vision)		specialist) Surgical services Swing bed and respite care services
	Considering <b>SCREENING/THERAPY SER</b> used in the past year? (Choose <u>ALL</u> that			you	ır community, whi	ich s	services are you aware of (or have
	Cardiac Rehabilitation Diet instruction Foot care Health screenings		Laboratory so Lactation Coo Occupationa Physical ther	unse I the	eling		Pulmonary Rehabilitation Social services Speech therapy Tobacco Cessation Counseling
	Considering <b>MENTAL HEALTH SERVICE</b> ed in the past year)? (Choose <u>ALL</u> that ap		ilable in your	cor	nmunity, which se	ervic	es are you aware of (or have you
	Addiction Counseling Behavioral Health Therapy Psychiatry (Telemedicine)				Psychology Senior Life Soluti	ons	

10.	where do you find out about LOCAL	. HE/	ALIH SEKVICES A	ivalia	able in your area?	(CI	loose <u>ALL</u> that apply)
	Employer/worksite wellness Facebook Healthcare professionals Instagram Living Local Application Local events or venues		Local TV channe Newspaper Public health pr Public Billboard Radio Social media (Fa	ofes s an	Esionals d Signage E		Web searches Word of mouth, from others (friends, neighbors, co-workers, etc.) Other: (please specify):
	Which of the following <b>SERVICES</b> produced in the past year? (Choose <u>ALL</u> that a		and the state of t	PUBL	IC HEALTH unit ha	ve	you or a family member
	Bicycle helmet safety				<b>Immunizations</b>		
	Blood pressure check				Medications setu	p-	-home visits
	Breastfeeding resources				Office visits and c	on	sults
	Car seat program				School health (visi	ion	screening, puberty talks, school
	Child health (well baby)				immunizations)		
	Correction facility health				Preschool educat	ior	programs
	Diabetes screening				Assist with presch		
	Emergency response & preparednes	s pr	ogram		Tobacco preventi		
	Flu shots					1000	and management
	Environmental health services (water	, sew	er, health hazard		1385 50		ts & Children) Program
П	abatement) Home health				Youth education p	orc	ograms (First Aid, Bike Safety)
18.	What specific healthcare services, if	any	, do you think sh	ould	l be added locally?		
	undation Awareness  Have you supported any facility foun	dati	on in any of the	follo	owing ways? (Choo	se	ALL that apply)
						10055-521	
	Cash or stock gift Endowment gifts Gala Events Giving Hearts Day		Golf Tournamer Memorial/Hond Planned gifts th trusts or life ins	orari roug	gh wills,		Other (please specify):

# **Capital Improvements**

	As local healthcare service providers owing capital improvements to your					
	Energy efficiency improvements Facility Accessibility Improvements ( Other (Please specify other capital imp					Section Control Contro
To all and a second a second and a second a second and a second a second and a second a second and a second a	Additional Services such as:					
De	emographic Information: Pleas	se tell us about your	self.			
21.	Do you work for the hospital, clinic,	or public health uni	t?			
	Yes			No		
22.	How did you acquire the survey (or	survey link) that you	ı are	completing?		
	Hospital or public health social medi Hospital or public health employee Hospital or public health facility Economic development website or so Other website or social media page	social media		Church bulletin Flyer sent home Flyer at local but Flyer in the mai Word of Mouth Direct email (if so organization): Other (please sp	isine I so, fi	SS
	Newsletter (if so, what one):		- 10-			
	Health insurance or health coverage Indian Health Service (IHS) Insurance through employer (self, spouse, or parent) Self-purchased insurance	79-17 (79-179) (A) (A) (A) (A)				Other (please specify):
24.	Age:					
	Less than 18 years 18 to 24 years 25 to 34 years	☐ 35 to 44 years ☐ 45 to 54 years ☐ 55 to 64 years				65 to 74 years 75 years and older
25.	Highest level of education:					
	Less than high school High school diploma or GED	☐ Some college/te ☐ Associate's deg		cal degree		Bachelor's degree Graduate or professional degree

26.	Sex:				
	Female Other (please specify):	E	] Male		□ Non-binary
27.	Employment status:				
	Full time Part time		Homemaker Multiple job holder		Unemployed Retired
28.	Your zip code:	-			
29.	Race/Ethnicity (choose <u>ALL</u> that app	ly):			
	American Indian African American Asian		Hispanic/Latino Pacific Islander White/Caucasian		Other:
30.	Annual household income before ta	xes:			
	Less than \$15,000 \$15,000 to \$24,999 \$25,000 to \$49,999		\$50,000 to \$74,999 \$75,000 to \$99,999 \$100,000 to \$149,999		\$150,000 and over
31.	Overall, please share concerns and s	sugg	estions to improve the delivery of loc	al h	ealthcare.
***************************************					

Thank you for assisting us with this important survey!

# **Appendix C – County Health Rankings Explained**

Source: http://www.countyhealthrankings.org/


### **Methods**

The County Health Rankings, a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, measure the health of nearly all counties in the nation and rank them within states. The Rankings are compiled using county-level measures from a variety of national and state data sources. These measures are standardized and combined using scientifically-informed weights.

#### What is Ranked

The County Health Rankings are based on counties and county equivalents (ranked places). Any entity that has its own Federal Information Processing Standard (FIPS) county code is included in the Rankings. We only rank counties and county equivalents within a state. The major goal of the Rankings is to raise awareness about the many factors that influence health and that health varies from place to place, not to produce a list of the healthiest 10 or 20 counties in the nation and only focus on that.

## **Ranking System**



The County Health Rankings model (shown above) provides the foundation for the entire ranking process.

Counties in each of the 50 states are ranked according to summaries of a variety of health measures. Those having high ranks, e.g. 1 or 2, are considered to be the "healthiest." Counties are ranked relative to the health of other counties in the same state. We calculate and rank eight summary composite scores:

- 1. Overall Health Outcomes
- 2. Health Outcomes Length of life
- 3. Health Outcomes Quality of life
- 4. Overall Health Factors
- 5. Health Factors Health behaviors
- 6. Health Factors Clinical care
- 7. Health Factors **Social and economic factors**
- 8. Health Factors **Physical environment**

#### **Data Sources and Measures**

The County Health Rankings team synthesizes health information from a variety of national data sources to create the Rankings. Most of the data used are public data available at no charge. Measures based on vital statistics, sexually transmitted infections, and Behavioral Risk Factor Surveillance System (BRFSS) survey data were calculated by staff at the National Center for Health Statistics and other units of the Centers for Disease Control and Prevention (CDC). Measures of healthcare quality were calculated by staff at The Dartmouth Institute.

## **Data Quality**

The County Health Rankings team draws upon the most reliable and valid measures available to compile the Rankings. Where possible, margins of error (95% confidence intervals) are provided for measure values. In many cases, the values of specific measures in different counties are not statistically different from one another; however, when combined using this model, those various measures produce the different rankings.

## **Calculating Scores and Ranks**

The County Health Rankings are compiled from many different types of data. To calculate the ranks, they first standardize each of the measures. The ranks are then calculated based on weighted sums of the standardized measures within each state. The county with the lowest score (best health) gets a rank of #1 for that state and the county with the highest score (worst health) is assigned a rank corresponding to the number of places we rank in that state.

#### **Health Outcomes and Factors**

Source: <a href="http://www.countyhealthrankings.org/explore-health-rankings/what-and-why-we-rank">http://www.countyhealthrankings.org/explore-health-rankings/what-and-why-we-rank</a>

#### **Health Outcomes**

#### **Premature Death (YPLL)**

Premature death is the years of potential life lost before age 75 (YPLL-75). Every death occurring before the age of 75 contributes to the total number of years of potential life lost. For example, a person dying at age 25 contributes 50 years of life lost, whereas a person who dies at age 65 contributes 10 years of life lost to a county's YPLL. The YPLL measure is presented as a rate per 100,000 population and is age-adjusted to the 2000 US population.

#### Reason for Ranking

Measuring premature mortality, rather than overall mortality, reflects the County Health Rankings' intent to focus attention on deaths that could have been prevented. Measuring YPLL allows communities to target resources to high-risk areas and further investigate the causes of premature death.

#### **Poor or Fair Health**

Self-reported health status is a general measure of health-related quality of life (HRQoL) in a population. This measure is based on survey responses to the question: "In general, would you say that your health is excellent, very good, good, fair, or poor?" The value reported in the County Health Rankings is the percentage of adult respondents who rate their health "fair" or "poor." The measure is modeled and age-adjusted to the 2000 U.S. population. Please note that the methods for calculating this measure changed in the 2016 Rankings.

#### Reason for Ranking

Measuring HRQoL helps characterize the burden of disabilities and chronic diseases in a population. Self-reported health status is a widely used measure of people's health-related quality of life. In addition to measuring how long people live, it is important to also include measures that consider how healthy people are while alive.

#### **Poor Physical Health Days**

Poor physical health days is based on survey responses to the question: "Thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?" The value reported in the County Health Rankings is the average number of days a county's adult respondents report that their physical health was not good. The measure is age-adjusted to the 2000 U.S. population. Please note that the methods for calculating this measure changed in the 2016 Rankings.

#### Reason for Ranking

Measuring health-related quality of life (HRQoL) helps characterize the burden of disabilities and chronic diseases in a population. In addition to measuring how long people live, it is also important to include measures of how healthy people are while alive – and people's reports of days when their physical health was not good are a reliable estimate of their recent health.

#### **Poor Mental Health Days**

Poor mental health days is based on survey responses to the question: "Thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?" The value reported in the County Health Rankings is the average number of days a county's adult respondents report that their mental health was not good. The measure is age-adjusted to the 2000 U.S. population. Please note that the methods for calculating this measure changed in the 2016 Rankings.

#### Reason for Ranking

Overall health depends on both physical and mental well-being. Measuring the number of days when people report that their mental health was not good, i.e., poor mental health days, represents an important facet of health-related quality of life.

#### **Low Birth Weight**

Birth outcomes are a category of measures that describe health at birth. These outcomes, such as low birthweight (LBW), represent a child's current and future morbidity — or whether a child has a "healthy start" — and serve as a health outcome related to maternal health risk.

#### Reason for Ranking

LBW is unique as a health outcome because it represents multiple factors: infant current and future morbidity, as well as premature mortality risk, and maternal exposure to health risks. The health associations and impacts of LBW are numerous.

In terms of the infant's health outcomes, LBW serves as a predictor of premature mortality and/or morbidity over the life course.[1] LBW children have greater developmental and growth problems, are at higher risk of cardiovascular disease later in life, and have a greater rate of respiratory conditions. [2-4]

From the perspective of maternal health outcomes, LBW indicates maternal exposure to health risks in all categories of health factors, including her health behaviors, access to healthcare, the social and economic environment the mother inhabits, and environmental risks to which she is exposed. Authors have found that modifiable maternal health behaviors, including nutrition and weight gain, smoking, and alcohol and substance use or abuse can result in LBW.

LBW has also been associated with cognitive development problems. Several studies show that LBW children have higher rates of sensorineural impairments, such as cerebral palsy, and visual, auditory, and intellectual impairments. [2,3,6] As a consequence, LBW can "impose a substantial burden on special education and social services, on families and caretakers of the infants, and on society generally."[7]

#### **Health Factors**

#### **Adult Smoking**

Adult smoking is the percentage of the adult population that currently smokes every day or most days and has smoked at least 100 cigarettes in their lifetime. Please note that the methods for calculating this measure changed in the 2016 Rankings.

#### Reason for Ranking

Each year approximately 443,000 premature deaths can be attributed to smoking. Cigarette smoking is identified as a cause of various cancers, cardiovascular disease, and respiratory conditions, as well as low birthweight and other adverse health outcomes. Measuring the prevalence of tobacco use in the population can alert communities to potential adverse health outcomes and can be valuable for assessing the need for cessation programs or the effectiveness of existing programs.

#### **Adult Obesity**

Adult obesity is the percentage of the adult population (age 20 and older) that reports a body mass index (BMI) greater than or equal to 30 kg/m2.

#### Reason for Ranking

Obesity is often the result of an overall energy imbalance due to poor diet and limited physical activity. Obesity increases the risk for health conditions such as coronary heart disease, type 2 diabetes, cancer, hypertension, dyslipidemia, stroke, liver and gallbladder disease, sleep apnea and respiratory problems, osteoarthritis, and poor health status.[1,2]

#### **Food Environment Index**

The food environment index ranges from 0 (worst) to 10 (best) and equally weights two indicators of the food environment:

- 1) Limited access to healthy foods estimates the percentage of the population that is low income and does not live close to a grocery store. Living close to a grocery store is defined differently in rural and nonrural areas; in rural areas, it means living less than 10 miles from a grocery store whereas in nonrural areas, it means less than 1 mile. "Low income" is defined as having an annual family income of less than or equal to 200 percent of the federal poverty threshold for the family size.
- 2) Food insecurity estimates the percentage of the population who did not have access to a reliable source of food during the past year. A two-stage fixed effects model was created using information from the Community Population Survey, Bureau of Labor Statistics, and American Community Survey.

More information on each of these can be found among the additional measures.

#### Reason for Ranking

There are many facets to a healthy food environment, such as the cost, distance, and availability of healthy food options. This measure includes access to healthy foods by considering the distance an individual lives from a grocery store or supermarket; there is strong evidence that food deserts are correlated with high prevalence of overweight, obesity, and premature death.[1-3] Supermarkets traditionally provide healthier options than convenience stores or smaller grocery stores.[4]

Additionally, access in regards to a constant source of healthy food due to low income can be another barrier to healthy food access. Food insecurity, the other food environment measure included in the index, attempts to capture the access issue by understanding the barrier of cost. Lacking constant access to food is related to negative health outcomes such as weight-gain and premature mortality.[5,6] In addition to asking about having a constant food supply in the past year, the module also addresses the ability of individuals and families to provide balanced meals further addressing barriers to healthy eating. It is important to have adequate access to a constant food supply, but it may be equally important to have nutritious food available.

#### **Physical Inactivity**

Physical inactivity is the percentage of adults age 20 and over reporting no leisure-time physical activity. Examples of physical activities provided include running, calisthenics, golf, gardening, or walking for exercise.

#### Reason for Ranking

Decreased physical activity has been related to several disease conditions such as type 2 diabetes, cancer, stroke, hypertension, cardiovascular disease, and premature mortality, independent of obesity. Inactivity causes 11% of premature mortality in the United States, and caused more than 5.3 million of the 57 million deaths that occurred worldwide in 2008.[1] In addition, physical inactivity at the county level is related to healthcare expenditures for circulatory system diseases.[2]

#### **Access to Exercise Opportunities**

Change in measure calculation in 2018: Access to exercise opportunities measures the percentage of individuals in a county who live reasonably close to a location for physical activity. Locations for physical activity are defined as parks or recreational facilities. Parks include local, state, and national parks. Recreational facilities include YMCAs as well as businesses identified by the following Standard Industry Classification (SIC) codes and include a wide variety of facilities including gyms, community centers, dance studios and pools: 799101, 799102, 799103, 799106, 799107, 799108, 799109, 799111, 799111, 799112, 799201, 799701, 799702, 799703, 799704, 799707, 799711, 799717, 799723, 799901, 799908, 799958, 799969, 799971, 799984, or 799998.

#### Individuals who:

- reside in a census block within a half mile of a park or
- in urban census blocks: reside within one mile of a recreational facility or
- in rural census blocks: reside within three miles of a recreational facility
- are considered to have adequate access for opportunities for physical activity.

#### Reason for Ranking

Increased physical activity is associated with lower risks of type 2 diabetes, cancer, stroke, hypertension, cardiovascular disease, and premature mortality, independent of obesity. The role of the built environment is important for encouraging physical activity. Individuals who live closer to sidewalks, parks, and gyms are more likely to exercise.[1-3]

#### **Excessive Drinking**

Excessive drinking is the percentage of adults that report either binge drinking, defined as consuming more than 4 (women) or 5 (men) alcoholic beverages on a single occasion in the past 30 days, or heavy drinking, defined as drinking more than one (women) or 2 (men) drinks per day on average. Please note that the methods for calculating this measure changed in the 2011 Rankings and again in the 2016 Rankings.

#### Reason for Ranking

Excessive drinking is a risk factor for a number of adverse health outcomes, such as alcohol poisoning, hypertension, acute myocardial infarction, sexually transmitted infections, unintended pregnancy, fetal alcohol syndrome, sudden infant death syndrome, suicide, interpersonal violence, and motor vehicle crashes.[1] Approximately 80,000 deaths are attributed annually to excessive drinking. Excessive drinking is the third leading lifestyle-related cause of death in the United States.[2]

#### **Alcohol-Impaired Driving Deaths**

Alcohol-impaired driving deaths is the percentage of motor vehicle crash deaths with alcohol involvement.

#### Reason for Ranking

Approximately 17,000 Americans are killed annually in alcohol-related motor vehicle crashes. Binge/heavy drinkers account for most episodes of alcohol-impaired driving.[1,2]

#### **Sexually Transmitted Infection Rate**

Sexually transmitted infections (STI) are measured as the chlamydia incidence (number of new cases reported) per 100,000 population.

#### Reason for Ranking

Chlamydia is the most common bacterial STI in North America and is one of the major causes of tubal infertility, ectopic pregnancy, pelvic inflammatory disease, and chronic pelvic pain.[1,2] STIs are associated with a significantly increased risk of morbidity and mortality, including increased risk of cervical cancer, infertility, and premature death. [3] STIs also have a high economic burden on society. The direct medical costs of managing sexually transmitted infections and their complications in the U.S., for example, was approximately 15.6 billion dollars in 2008.[4]

#### **Teen Births**

Teen births are the number of births per 1,000 female population, ages 15-19.

#### Reason for Ranking

Evidence suggests teen pregnancy significantly increases the risk of repeat pregnancy and of contracting a STI, both of which can result in adverse health outcomes for mothers, children, families, and communities. A systematic review of the sexual risk among pregnant and mothering teens concludes that pregnancy is a marker for current and future sexual risk behavior and adverse outcomes [1]. Pregnant teens are more likely than older women to receive late or no prenatal care, have eclampsia, puerperal endometritis, systemic infections, low birthweight, preterm delivery, and severe neonatal conditions [2, 3]. Pre-term delivery and low birthweight babies have increased risk of child developmental delay, illness, and mortality [4]. Additionally, there are strong ties between teen birth and poor socioeconomic, behavioral, and mental outcomes. Teenage women who bear a child are much less likely to achieve an education level at or beyond high school, much more likely to be overweight/obese in adulthood, and more likely to experience depression and psychological distress [5-7].

#### Uninsured

Uninsured is the percentage of the population under age 65 that has no health insurance coverage. The Small Area Health Insurance Estimates uses the American Community Survey (ACS) definition of insured: Is this person CURRENTLY covered by any of the following types of health insurance or health coverage plans: Insurance through a current or former employer or union, insurance purchased directly from an insurance company, Medicare, Medicaid, Medical Assistance, or any kind of government-assistance plan for those with low incomes or a disability, TRICARE or other military healthcare, Indian Health Services, VA or any other type of health insurance or health coverage plan? Please note that the methods for calculating this measure changed in the 2012 Rankings.

#### Reason for Ranking

Lack of health insurance coverage is a significant barrier to accessing needed healthcare and to maintaining financial security.

The Kaiser Family Foundation released a report in December 2017 that outlines the effects insurance has on access to healthcare and financial independence. One key finding was that "Going without coverage can have serious health consequences for the uninsured because they receive less preventative care, and delayed care often results in serious

illness or other health problems. Being uninsured can also have serious financial consequences, with many unable to pay their medical bills, resulting in medical debt."[1]

#### **Primary Care Physicians**

Primary care physicians is the ratio of the population to total primary care physicians. Primary care physicians include non-federal, practicing physicians (M.D.'s and D.O.'s) under age 75 specializing in general practice medicine, family medicine, internal medicine, and pediatrics. Please note this measure was modified in the 2011 Rankings and again in the 2013 Rankings.

#### Reason for Ranking

Access to care requires not only financial coverage, but also access to providers. While high rates of specialist physicians have been shown to be associated with higher (and perhaps unnecessary) utilization, sufficient availability of primary care physicians is essential for preventive and primary care, and, when needed, referrals to appropriate specialty care.[1,2]

#### **Dentists**

Dentists are measured as the ratio of the county population to total dentists in the county.

#### Reason for Ranking

Untreated dental disease can lead to serious health effects including pain, infection, and tooth loss. Although lack of sufficient providers is only one barrier to accessing oral healthcare, much of the country suffers from shortages. According to the Health Resources and Services Administration, as of December 2012, there were 4,585 Dental Health Professional Shortage Areas (HPSAs), with 45 million people total living in them.[1]

#### **Mental Health Providers**

Mental health providers is the ratio of the county population to the number of mental health providers including psychiatrists, psychologists, licensed clinical social workers, counselors, marriage and family therapists, mental health providers that treat alcohol and other drug abuse, and advanced practice nurses specializing in mental healthcare. In 2015, marriage and family therapists and mental health providers that treat alcohol and other drug abuse were added to this measure.

#### Reason for Ranking

Thirty percent of the population lives in a county designated as a Mental Health Professional Shortage Area. As the mental health parity aspects of the Affordable Care Act create increased coverage for mental health services, many anticipate increased workforce shortages.

#### **Preventable Hospital Stays**

Preventable hospital stays is the hospital discharge rate for ambulatory care-sensitive conditions per 1,000 fee-for-service Medicare enrollees. Ambulatory care-sensitive conditions include: convulsions, chronic obstructive pulmonary disease, bacterial pneumonia, asthma, congestive heart failure, hypertension, angina, cellulitis, diabetes, gastroenteritis, kidney/urinary infection, and dehydration. This measure is age-adjusted.

#### Reason for Ranking

Hospitalization for diagnoses treatable in outpatient services suggests that the quality of care provided in the outpatient setting was less than ideal. The measure may also represent a tendency to overuse hospitals as a main source of care.

#### **Diabetes Monitoring**

Diabetes monitoring is the percentage of diabetic fee-for-service Medicare patients ages 65-75 whose blood sugar control was monitored in the past year using a test of their glycated hemoglobin (HbA1c) levels.

#### Reason for Ranking

Regular HbA1c monitoring among diabetic patients is considered the standard of care. It helps assess the management of diabetes over the long term by providing an estimate of how well a patient has managed his or her diabetes over the past two to three months. When hyperglycemia is addressed and controlled, complications from diabetes can be delayed or prevented.

#### **Mammography Screening**

Mammography screening is the percentage of female fee-for-service Medicare enrollees age 67-69 that had at least one mammogram over a two-year period.

#### Reason for Ranking

Evidence suggests that mammography screening reduces breast cancer mortality, especially among older women.[1] A physician's recommendation or referral—and satisfaction with physicians—are major factors facilitating breast cancer screening. The percent of women ages 40-69 receiving a mammogram is a widely endorsed quality of care measure.

#### Unemployment

Unemployment is the percentage of the civilian labor force, age 16 and older, that is unemployed but seeking work.

#### Reason for Ranking

The unemployed population experiences worse health and higher mortality rates than the employed population. [1-4] Unemployment has been shown to lead to an increase in unhealthy behaviors related to alcohol and tobacco consumption, diet, exercise, and other health-related behaviors, which in turn can lead to increased risk for disease or mortality, especially suicide.[5] Because employer-sponsored health insurance is the most common source of health insurance coverage, unemployment can also limit access to healthcare.

#### **Children in Poverty**

Children in poverty is the percentage of children under age 18 living in poverty. Poverty status is defined by family; either everyone in the family is in poverty or no one in the family is in poverty. The characteristics of the family used to determine the poverty threshold are: number of people, number of related children under 18, and whether or not the primary householder is over age 65. Family income is then compared to the poverty threshold; if that family's income is below that threshold, the family is in poverty. For more information, please see Poverty Definition and/or Poverty.

In the data table for this measure, we report child poverty rates for black, Hispanic and white children. The rates for race and ethnic groups come from the American Community Survey, which is the major source of data used by the Small Area Income and Poverty Estimates to construct the overall county estimates. However, estimates for race and ethnic groups are created using combined five year estimates from 2012-2016.

#### Reason for Ranking

Poverty can result in an increased risk of mortality, morbidity, depression, and poor health behaviors. A 2011 study found that poverty and other social factors contribute a number of deaths comparable to leading causes of death in the U.S. like heart attacks, strokes, and lung cancer.[1] While repercussions resulting from poverty are present at all ages, children in poverty may experience lasting effects on academic achievement, health, and income into adulthood. Low-income children have an increased risk of injuries from accidents and physical abuse and are susceptible to more frequent and severe chronic conditions and their complications such as asthma, obesity, and diabetes than children living in high income households.[2]

Beginning in early childhood, poverty takes a toll on mental health and brain development, particularly in the areas associated with skills essential for educational success such as cognitive flexibility, sustained focus, and planning. Low income children are more susceptible to mental health conditions like ADHD, behavior disorders, and anxiety which can limit learning opportunities and social competence leading to academic deficits that may persist into adulthood. [2,3] The children in poverty measure is highly correlated with overall poverty rates.

#### Income Inequality

Income inequality is the ratio of household income at the 80th percentile to that at the 20th percentile, i.e., when the incomes of all households in a county are listed from highest to lowest, the 80th percentile is the level of income at which only 20% of households have higher incomes, and the 20th percentile is the level of income at which only 20% of households have lower incomes. A higher inequality ratio indicates greater division between the top and bottom ends of the income spectrum. Please note that the methods for calculating this measure changed in the 2015 Rankings.

#### Reason for Ranking

Income inequality within U.S. communities can have broad health impacts, including increased risk of mortality, poor

health, and increased cardiovascular disease risks. Inequalities in a community can accentuate differences in social class and status and serve as a social stressor. Communities with greater income inequality can experience a loss of social connectedness, as well as decreases in trust, social support, and a sense of community for all residents.

#### **Children in Single-Parent Households**

Children in single-parent households is the percentage of children in family households where the household is headed by a single parent (male or female head of household with no spouse present). Please note that the methods for calculating this measure changed in the 2011 Rankings.

#### Reason for Ranking

Adults and children in single-parent households are at risk for adverse health outcomes, including mental illness (e.g. substance abuse, depression, suicide) and unhealthy behaviors (e.g. smoking, excessive alcohol use).[1-4] Self-reported health has been shown to be worse among lone parents (male and female) than for parents living as couples, even when controlling for socioeconomic characteristics. Mortality risk is also higher among lone parents.[4,5] Children in single-parent households are at greater risk of severe morbidity and all-cause mortality than their peers in two-parent households.[2,6]

#### **Violent Crime Rate**

Violent crime is the number of violent crimes reported per 100,000 population. Violent crimes are defined as offenses that involve face-to-face confrontation between the victim and the perpetrator, including homicide, rape, robbery, and aggravated assault. Please note that the methods for calculating this measure changed in the 2012 Rankings.

#### Reason for Ranking

High levels of violent crime compromise physical safety and psychological well-being. High crime rates can also deter residents from pursuing healthy behaviors, such as exercising outdoors. Additionally, exposure to crime and violence has been shown to increase stress, which may exacerbate hypertension and other stress-related disorders and may contribute to obesity prevalence.[1] Exposure to chronic stress also contributes to the increased prevalence of certain illnesses, such as upper respiratory illness, and asthma in neighborhoods with high levels of violence.[2]

### **Injury Deaths**

Injury deaths is the number of deaths from intentional and unintentional injuries per 100,000 population. Deaths included are those with an underlying cause of injury (ICD-10 codes \*U01-\*U03, V01-Y36, Y85-Y87, Y89).

#### Reason for Ranking

Injuries are one of the leading causes of death; unintentional injuries were the 4th leading cause, and intentional injuries the 10th leading cause, of US mortality in 2014.[1] The leading causes of death in 2014 among unintentional injuries, respectively, are: poisoning, motor vehicle traffic, and falls. Among intentional injuries, the leading causes of death in 2014, respectively, are: suicide firearm, suicide suffocation, and homicide firearm. Unintentional injuries are a substantial contributor to premature death. Among the following age groups, unintentional injuries were the leading cause of death in 2014: 1-4, 5-9, 10-14, 15-24, 25-34, 35-44.[2] Injuries account for 17% of all emergency department visits, and falls account for over 1/3 of those visits.[3]

#### Air Pollution-Particulate matter

Air pollution-particulate Matter is the average daily density of fine particulate matter in micrograms per cubic meter (PM2.5) in a county. Fine particulate matter is defined as particles of air pollutants with an aerodynamic diameter less than 2.5 micrometers. These particles can be directly emitted from sources such as forest fires, or they can form when gases emitted from power plants, industries and automobiles react in the air.

#### Reason for Ranking

The relationship between elevated air pollution (especially fine particulate matter and ozone) and compromised health has been well documented.[1,2,3] Negative consequences of ambient air pollution include decreased lung function, chronic bronchitis, asthma, and other adverse pulmonary effects.[1] Long-term exposure to fine particulate matter increases premature death risk among people age 65 and older, even when exposure is at levels below the National Ambient Air Quality Standards.[3]

#### **Drinking Water Violations**

Change in measure calculation in 2018: Drinking water violations is an indicator of the presence or absence of health-based drinking water violations in counties served by community water systems. Health-based violations include Maximum Contaminant Level, Maximum Residual Disinfectant Level and Treatment Technique violations. A "Yes" indicates that at least one community water system in the county received a violation during the specified time frame, while a "No" indicates that there were no health-based drinking water violations in any community water system in the county. Please note that the methods for calculating this measure changed in the 2016 Rankings.

#### Reason for Ranking

Recent studies estimate that contaminants in drinking water sicken 1.1 million people each year. Ensuring the safety of drinking water is important to prevent illness, birth defects, and death for those with compromised immune systems. A number of other health problems have been associated with contaminated water, including nausea, lung and skin irritation, cancer, kidney, liver, and nervous system damage.

#### **Severe Housing Problems**

Severe housing problems is the percentage of households with at least one or more of the following housing problems:

- housing unit lacks complete kitchen facilities;
- housing unit lacks complete plumbing facilities;
- household is severely overcrowded; or
- household is severely cost burdened.

Severe overcrowding is defined as more than 1.5 persons per room. Severe cost burden is defined as monthly housing costs (including utilities) that exceed 50% of monthly income.

#### Reason for Ranking

Good health depends on having homes that are safe and free from physical hazards. When adequate housing protects individuals and families from harmful exposures and provides them with a sense of privacy, security, stability and control, it can make important contributions to health. In contrast, poor quality and inadequate housing contributes to health problems such as infectious and chronic diseases, injuries and poor childhood development.

# **Appendix D – Youth Risk Behavior Survey**

Youth Risk Behavior Survey Results. North Dakota High School Survey. Rate Increase "↑" rate decrease "↓", or no statistical change = in rate from 2017-2019

Tate increase 1 Tate decrease V, or no statistical change							
				ND	Rural ND	Urban	National
	ND	ND	ND	Trend	Town	ND Town	Average
	2015	2017	2019	<b>↑</b> , <b>↓</b> , =	Average	Average	2019
Injury and Violence							
Percentage of students who rarely or never wore a seat belt (when							
riding in a car driven by someone else)	8.5	8.1	5.9	=	8.8	5.4	6.5
Percentage of students who rode in a vehicle with a driver who had							
been drinking alcohol (one or more times during the 30 prior to the							
survey)	17.7	16.5	14.2	-	17.7	12.7	16.7
Percentage of students who talked on a cell phone while driving (on at							
least one day during the 30 days before the survey, among students							
who drove a car or other vehicle)	NA	56.2	59.6	-	60.7	60.7	NA
Percentage of students who texted or e-mailed while driving a car or							
other vehicle (on at least one day during the 30 days before the survey,							
among students who had driven a car or other vehicle during the 30							
days before the survey)	57.6	52.6	53.0	=	56.5	51.8	39.0
Percentage of students who never or rarely wore a helmet (during the							
12 months before the survey, among students who rode a motorcycle)	NA	20.6	NA	NA	NA	NA	NA
Percentage of students who carried a weapon on school property (such							
as a gun, knife, or club on at least one day during the 30 days before							
the survey)	5.2	5.9	4.9	=	6.2	4.2	2.8
Percentage of students who were in a physical fight on school property	5.2	0.0			0.2		
(one or more times during the 12 months before the survey)	5.4	7.2	7.1	=	7.4	6.4	8.0
Percentage of students who experienced sexual violence (being forced	3.4	7.2	7.1		77	0.4	0.0
by anyone to do sexual things [counting such things as kissing,							
touching, or being physically forced to have sexual intercourse] that							
they did not want to, one or more times during the 12 months before							
the survey)	NA	8.7	9.2	=	7.1	8.0	10.8
Percentage of students who experienced physical dating violence (one	INA	0.7	9.2	_	7.1	8.0	10.8
or more times during the 12 months before the survey, including being							
hit, slammed into something, or injured with an object or weapon on							
purpose by someone they were dating or going out with among							
students who dated or went out with someone during the 12 months	7.6						0.0
before the survey)	7.6	NA	NA	NA	NA	NA	8.2
Percentage of students who have been the victim of teasing or name							
calling because someone thought they were gay, lesbian, or bisexual							
(during the 12 months before the survey)	NA	11.4	11.6	=	12.6	11.4	NA
Percentage of students who were bullied on school property (during							
the 12 months before the survey)	24.0	24.3	19.9	<b>\</b>	24.6	19.1	19.5
Percentage of students who were electronically bullied (including being							
bullied through texting, Instagram, Facebook, or other social media				_			
during the 12 months before the survey)	15.9	18.8	14.7	<b>→</b>	16.0	15.3	15.7
Percentage of students who felt sad or hopeless (almost every day for							
two or more weeks in a row so that they stopped doing some usual							
activities during the 12 months before the survey)	27.2	28.9	30.5	=	31.8	33.1	36.7
				ND	Rural ND	Urban	National
	ND	ND	ND	Trend	Town	ND Town	Average
	2015	2017	2019	<b>↑</b> , <b>↓</b> , =	Average	Average	2019
Percentage of students who seriously considered attempting suicide							
(during the 12 months before the survey)	16.2	16.7	18.8	=	18.6	19.7	18.8
Percentage of students who made a plan about how they would							
attempt suicide (during the 12 months before the survey)	13.5	14.5	15.3	=	16.3	16.0	15.7
Percentage of students who attempted suicide (one or more times durin	g the 12	months	before	the survey)			
Tobacco Use							
Percentage of students who ever tried cigarette smoking (even one or							
two puffs)	35.1	30.5	29.3	=	32.4	23.8	24.1

Percentage of students who currently smoked cigarettes (on at least one day during the 30 days before the survey)  Percentage of students who currently frequently smoked cigarettes (on 20 or more days during the 30 days before the survey)  Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)  Percentage of students who usually obtained their own cigarettes by buying them in a store or gas station (during the 30 days before the survey among students who currently smoked cigarettes and who were aged <18 years)  Percentage of students who tried to quit smoking cigarettes (among students who currently smoked cigarettes (among students who currently smoked cigarettes (among students who currently use an electronic vapor product (e-cigarettes, vape e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens at least one day during the 30 days before the survey)  Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least one day during the 30 days before the survey)  Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least one day during the 30 days before the survey)  Percentage of students who currently used cigarettes, cigars, or smokeless tobacco  Alcohol and Other Drug Use  Percentage of students who ever drank alcohol (at least one drink of alcohol on at least one day during their life)  Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during their life)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during their life)  Percentage of students who currently were binge drinking (four or more drinks of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the su	20.6 8.0 8.2	NA 8.3 2.1 1.4 13.2 54.0 33.1 4.5 5.2	NA  ↓  ↓  ↓  =  -  ↓  ↓  ↓  ↓	NA 10.9 2.3 1.6 9.4 52.8 32.2 5.7	NA 7.3 1.7 1.2 10.1 51.4 31.9	NA 6.0 1.3 1.1 8.1 NA 32.7
Percentage of students who currently smoked cigarettes (on at least one day during the 30 days before the survey)  Percentage of students who currently frequently smoked cigarettes (on 20 or more days during the 30 days before the survey)  Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)  Percentage of students who usually obtained their own cigarettes by buying them in a store or gas station (during the 30 days before the survey among students who currently smoked cigarettes and who were aged <18 years)  Percentage of students who tried to quit smoking cigarettes (among students who currently smoked cigarettes (among students who currently smoked cigarettes (among students who currently use an electronic vapor product (e-cigarettes, vape e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens at least one day during the 30 days before the survey)  Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least one day during the 30 days before the survey)  Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least one day during the 30 days before the survey)  Percentage of students who currently used cigarettes, cigars, or smokeless tobacco  Alcohol and Other Drug Use  Percentage of students who ever drank alcohol (at least one drink of alcohol on at least one day during their life)  Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during their life)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during their life)  Percentage of students who currently were binge drinking (four or more drinks of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the su	12.6 3.8 3.0 7.5 50.3 20.6 8.0	8.3 2.1 1.4 13.2 54.0 33.1 4.5 5.2	→ → = = ↑ ↓	10.9 2.3 1.6 9.4 52.8 32.2	7.3 1.7 1.2 10.1 51.4	6.0 1.3 1.1 8.1 NA
one day during the 30 days before the survey)  Percentage of students who currently frequently smoked cigarettes (on 20 or more days during the 30 days before the survey)  Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)  Percentage of students who usually obtained their own cigarettes by buying them in a store or gas station (during the 30 days before the survey among students who currently smoked cigarettes and who were aged <18 years)  Percentage of students who tried to quit smoking cigarettes (among students who currently smoked cigarettes during the 12 months before the survey)  Percentage of students who currently use an electronic vapor product (e-cigarettes, vape e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens at least one day during the 30 days before the survey)  Percentage of students who currently used smokeless tobacco ((chewing tobacco, snuff, or dip on at least one day during the 30 days before the survey)  Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least one day during the 30 days before the survey)  Percentage of students who currently used cigarettes, cigars, or smokeless tobacco.  Alcohol and Other Drug Use  Percentage of students who ever drank alcohol (at least one drink of alcohol on at least one day during their life)  Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during their life)  Percentage of students who currently were binge drinking (four or more drinks of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the survey)  Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)  41.3 3	3.8 3.0 7.5 50.3 20.6 8.0 8.2	2.1 1.4 13.2 54.0 33.1 4.5 5.2	→ = = ↑ ↓	2.3 1.6 9.4 52.8 32.2	1.7 1.2 10.1 51.4	1.3 1.1 8.1 NA
Percentage of students who currently frequently smoked cigarettes (on 20 or more days during the 30 days before the survey)  Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)  Percentage of students who usually obtained their own cigarettes by buying them in a store or gas station (during the 30 days before the survey among students who currently smoked cigarettes and who were aged <18 years)  Percentage of students who tried to quit smoking cigarettes (among students who currently smoked cigarettes during the 12 months before the survey)  Percentage of students who currently use an electronic vapor product (e-cigarettes, vape e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens at least one day during the 30 days before the survey)  Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least one day during the 30 days before the survey)  Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least one day during the 30 days before the survey)  Percentage of students who currently used cigarettes, cigars, or smokeless tobacco (Alcohol and Other Drug Use  Percentage of students who currently used cigarettes, cigars, or smokeless tobacco alcohol on at least one day during the 30 days before the survey)  Percentage of students who ever drank alcohol (at least one drink of alcohol on at least one day during their life)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently were binge drinking (four or more drinks of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the survey)  Percentage of students wh	3.8 3.0 7.5 50.3 20.6 8.0 8.2	2.1 1.4 13.2 54.0 33.1 4.5 5.2	→ = = ↑ ↓	2.3 1.6 9.4 52.8 32.2	1.7 1.2 10.1 51.4	1.3 1.1 8.1 NA
20 or more days during the 30 days before the survey)  Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)  Percentage of students who usually obtained their own cigarettes by buying them in a store or gas station (during the 30 days before the survey among students who currently smoked cigarettes and who were aged <18 years)  Percentage of students who tried to quit smoking cigarettes (among students who currently smoked cigarettes during the 12 months before the survey)  Percentage of students who currently use an electronic vapor product (e-cigarettes, vape e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens at least one day during the 30 days before the survey)  Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least one day during the 30 days before the survey)  Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least one day during the 30 days before the survey)  Percentage of students who currently used cigarettes, cigars, or smokeless tobacco (Alcohol and Other Drug Use  Percentage of students who ever drank alcohol (at least one drink of alcohol on at least one day during their life)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently were binge drinking (four or more drinks of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the survey)  Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)	3.0 7.5 50.3 20.6 8.0 8.2	1.4 13.2 54.0 33.1 4.5	= = +	9.4 52.8 32.2 5.7	1.2 10.1 51.4 31.9	1.1 8.1 NA 32.7
Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)  Percentage of students who usually obtained their own cigarettes by buying them in a store or gas station (during the 30 days before the survey among students who currently smoked cigarettes and who were aged <18 years)  Percentage of students who tried to quit smoking cigarettes (among students who currently smoked cigarettes during the 12 months before the survey)  Percentage of students who currently use an electronic vapor product (e-cigarettes, vape e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens at least one day during the 30 days before the survey)  Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least one day during the 30 days before the survey)  Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least one day during the 30 days before the survey)  Percentage of students who currently used cigarettes, cigars, or smokeless tobacco (Alcohol and Other Drug Use  Percentage of students who currently used cigarettes, cigars, or smokeless tobacco alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently used cigarettes, cigars, or smokeless tobacco alcohol and Other Drug Use  Percentage of students who currently used cigarettes, cigars, or smokeless tobacco alcohol and Other Drug Use  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during their life)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently drank alcohol (at least one drink of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the survey)  Percentage of students who usually obtained the alcohol they drank by s	3.0 7.5 50.3 20.6 8.0 8.2	1.4 13.2 54.0 33.1 4.5	= = +	9.4 52.8 32.2 5.7	1.2 10.1 51.4 31.9	1.1 8.1 NA 32.7
3.2 3 Percentage of students who usually obtained their own cigarettes by buying them in a store or gas station (during the 30 days before the survey among students who currently smoked cigarettes and who were aged <18 years)  Percentage of students who tried to quit smoking cigarettes (among students who currently smoked cigarettes (among students who currently smoked cigarettes during the 12 months before the survey)  Percentage of students who currently use an electronic vapor product (e-cigarettes, vape e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens at least one day during the 30 days before the survey)  Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least one day during the 30 days before the survey)  Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least one day during the 30 days before the survey)  Percentage of students who currently used cigarettes, cigars, or smokeless tobacco.  Alcohol and Other Drug Use  Percentage of students who ever drank alcohol (at least one drink of alcohol on at least one day during their life)  Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently were binge drinking (four or more drinks of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the survey)  Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)  41.3 3	7.5 50.3 20.6 8.0 8.2	13.2 54.0 33.1 4.5 5.2	= = •	9.4 52.8 32.2 5.7	10.1 51.4 31.9	8.1 NA 32.7
Percentage of students who usually obtained their own cigarettes by buying them in a store or gas station (during the 30 days before the survey among students who currently smoked cigarettes and who were aged <18 years)  Percentage of students who tried to quit smoking cigarettes (among students who currently smoked cigarettes during the 12 months before the survey)  Percentage of students who currently use an electronic vapor product (e-cigarettes, vape e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens at least one day during the 30 days before the survey)  Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least one day during the 30 days before the survey)  NA  Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least one day during the 30 days before the survey)  Percentage of students who currently used cigarettes, cigars, or smokeless tobacco Alcohol and Other Drug Use  Percentage of students who ever drank alcohol (at least one drink of alcohol on at least one day during their life)  Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently were binge drinking (four or more drinks of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the survey)  Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)  41.3 3	7.5 50.3 20.6 8.0 8.2	13.2 54.0 33.1 4.5 5.2	= = •	9.4 52.8 32.2 5.7	10.1 51.4 31.9	8.1 NA 32.7
buying them in a store or gas station (during the 30 days before the survey among students who currently smoked cigarettes and who were aged <18 years)  Percentage of students who tried to quit smoking cigarettes (among students who currently smoked cigarettes during the 12 months before the survey)  Percentage of students who currently use an electronic vapor product (e-cigarettes, vape e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens at least one day during the 30 days before the survey)  Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least one day during the 30 days before the survey)  Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least one day during the 30 days before the survey)  Percentage of students who currently used cigarettes, cigars, or smokeless tobacco (Alcohol and Other Drug Use  Percentage of students who ever drank alcohol (at least one drink of alcohol on at least one day during their life)  Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently were binge drinking (four or more drinks of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the survey)  Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)  41.3 3	20.6 8.0 8.2	33.1 4.5 5.2	=	52.8 32.2 5.7	51.4 31.9	NA 32.7
survey among students who currently smoked cigarettes and who were aged <18 years)  Percentage of students who tried to quit smoking cigarettes (among students who currently smoked cigarettes during the 12 months before the survey)  Percentage of students who currently use an electronic vapor product (e-cigarettes, vape e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens at least one day during the 30 days before the survey)  Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least one day during the 30 days before the survey)  Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least one day during the 30 days before the survey)  Percentage of students who currently used cigarettes, cigars, or smokeless tobacco Alcohol and Other Drug Use  Percentage of students who ever drank alcohol (at least one drink of alcohol on at least one day during their life)  Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently were binge drinking (four or more drinks of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the survey)  Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol they drank by someone giving it to them (among students who currently drank alcohol)	20.6 8.0 8.2	33.1 4.5 5.2	=	52.8 32.2 5.7	51.4 31.9	NA 32.7
aged <18 years)  Percentage of students who tried to quit smoking cigarettes (among students who currently smoked cigarettes during the 12 months before the survey)  Percentage of students who currently use an electronic vapor product (e-cigarettes, vape e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens at least one day during the 30 days before the survey)  Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least one day during the 30 days before the survey)  Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least one day during the 30 days before the survey)  Percentage of students who currently used cigarettes, cigars, or smokeless tobacco Alcohol and Other Drug Use  Percentage of students who ever drank alcohol (at least one drink of alcohol on at least one day during their life)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently were binge drinking (four or more drinks of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the survey)  Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)  41.3 3	20.6 8.0 8.2	33.1 4.5 5.2	=	52.8 32.2 5.7	51.4 31.9	NA 32.7
Percentage of students who tried to quit smoking cigarettes (among students who currently smoked cigarettes during the 12 months before the survey)  Percentage of students who currently use an electronic vapor product (e-cigarettes, vape e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens at least one day during the 30 days before the survey)  Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least one day during the 30 days before the survey)  Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least one day during the 30 days before the survey)  Percentage of students who currently used cigarettes, cigars, or smokeless tobacco (Alcohol and Other Drug Use  Percentage of students who ever drank alcohol (at least one drink of alcohol on at least one day during their life)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently were binge drinking (four or more drinks of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the survey)  Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)  41.3 3	20.6 8.0 8.2	33.1 4.5 5.2	=	52.8 32.2 5.7	51.4 31.9	NA 32.7
students who currently smoked cigarettes during the 12 months before the survey)  Percentage of students who currently use an electronic vapor product (e-cigarettes, vape e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens at least one day during the 30 days before the survey)  Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least one day during the 30 days before the survey)  Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least one day during the 30 days before the survey)  Percentage of students who currently used cigarettes, cigars, or smokeless tobacco (Alcohol and Other Drug Use  Percentage of students who ever drank alcohol (at least one drink of alcohol on at least one day during their life)  Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently were binge drinking (four or more drinks of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the survey)  NA 10 Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)	20.6 8.0 8.2	33.1 4.5 5.2	<b>γ ψ</b>	32.2 5.7	31.9	32.7
Percentage of students who currently use an electronic vapor product (e-cigarettes, vape e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens at least one day during the 30 days before the survey)  Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least one day during the 30 days before the survey)  Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least one day during the 30 days before the survey)  Percentage of students who currently used cigarettes, cigars, or smokeless tobacco (Alcohol and Other Drug Use  Percentage of students who ever drank alcohol (at least one drink of alcohol on at least one day during their life)  Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently were binge drinking (four or more drinks of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the survey)  Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)  41.3 3	20.6 8.0 8.2	33.1 4.5 5.2	<b>γ ψ</b>	32.2 5.7	31.9	32.7
Percentage of students who currently use an electronic vapor product (e-cigarettes, vape e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens at least one day during the 30 days before the survey)  Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least one day during the 30 days before the survey)  Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least one day during the 30 days before the survey)  Percentage of students who currently used cigarettes, cigars, or smokeless tobacco  Alcohol and Other Drug Use  Percentage of students who ever drank alcohol (at least one drink of alcohol on at least one day during their life)  Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently were binge drinking (four or more drinks of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the survey)  Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)  41.3 3	20.6 8.0 8.2	33.1 4.5 5.2	<b>γ ψ</b>	32.2 5.7	31.9	32.7
(e-cigarettes, vape e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens at least one day during the 30 days before the survey)  Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least one day during the 30 days before the survey)  NA  Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least one day during the 30 days before the survey)  Percentage of students who currently used cigarettes, cigars, or smokeless tobacco  Alcohol and Other Drug Use  Percentage of students who ever drank alcohol (at least one drink of alcohol on at least one day during their life)  Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently were binge drinking (four or more drinks of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the survey)  Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)  41.3 3	8.0	4.5 5.2	ψ Ψ	5.7		
hookahs, and hookah pens at least one day during the 30 days before the survey)  Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least one day during the 30 days before the survey)  NA  Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least one day during the 30 days before the survey)  Percentage of students who currently used cigarettes, cigars, or smokeless tobacco  Alcohol and Other Drug Use  Percentage of students who ever drank alcohol (at least one drink of alcohol on at least one day during their life)  Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently were binge drinking (four or more drinks of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the survey)  Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)  41.3 3	8.0	4.5 5.2	ψ Ψ	5.7		
Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least one day during the 30 days before the survey)  Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least one day during the 30 days before the survey)  Percentage of students who currently used cigarettes, cigars, or smokeless tobacco Alcohol and Other Drug Use  Percentage of students who ever drank alcohol (at least one drink of alcohol on at least one day during their life)  Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently were binge drinking (four or more drinks of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the survey)  Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)  41.3 3	8.0	4.5 5.2	ψ Ψ	5.7		
Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least one day during the 30 days before the survey)  Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least one day during the 30 days before the survey)  Percentage of students who currently used cigarettes, cigars, or smokeless tobacco Alcohol and Other Drug Use  Percentage of students who ever drank alcohol (at least one drink of alcohol on at least one day during their life)  Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently were binge drinking (four or more drinks of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the survey)  Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)  41.3 3	8.0	4.5 5.2	ψ Ψ	5.7		
(chewing tobacco, snuff, or dip on at least one day during the 30 days before the survey)  Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least one day during the 30 days before the survey)  Percentage of students who currently used cigarettes, cigars, or smokeless tobaccol Alcohol and Other Drug Use  Percentage of students who ever drank alcohol (at least one drink of alcohol on at least one day during their life)  Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently were binge drinking (four or more drinks of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the survey)  Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)  41.3 3	8.2	5.2	<b>V</b>		3.8	3.8
Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least one day during the 30 days before the survey)  Percentage of students who currently used cigarettes, cigars, or smokeless tobacco Alcohol and Other Drug Use  Percentage of students who ever drank alcohol (at least one drink of alcohol on at least one day during their life)  Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently were binge drinking (four or more drinks of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the survey)  Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)  41.3 3	8.2	5.2	<b>V</b>		3.8	3.8
or little cigars on at least one day during the 30 days before the survey)  Percentage of students who currently used cigarettes, cigars, or smokeless tobacco Alcohol and Other Drug Use  Percentage of students who ever drank alcohol (at least one drink of alcohol on at least one day during their life)  Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently were binge drinking (four or more drinks of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the survey)  NA 10 Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)  41.3 3				_		
or little cigars on at least one day during the 30 days before the survey)  Percentage of students who currently used cigarettes, cigars, or smokeless tobacco (Alcohol and Other Drug Use)  Percentage of students who ever drank alcohol (at least one drink of alcohol on at least one day during their life)  Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently were binge drinking (four or more drinks of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the survey)  NA 10 Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)  41.3 3						
Alcohol and Other Drug Use  Percentage of students who ever drank alcohol (at least one drink of alcohol on at least one day during their life)  Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently were binge drinking (four or more drinks of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the survey)  Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)  41.3 3	(on at	least o		6.3	4.3	5.7
Percentage of students who ever drank alcohol (at least one drink of alcohol on at least one day during their life)  Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently were binge drinking (four or more drinks of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the survey)  Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)  41.3 3		. icasi u	ne day durii	ng the 30 da	ys before the	survey)
Percentage of students who ever drank alcohol (at least one drink of alcohol on at least one day during their life)  Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently were binge drinking (four or more drinks of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the survey)  Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)  41.3 3						
Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently were binge drinking (four or more drinks of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the survey)  NA 10 Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)  41.3 3						
first time other than a few sips)  Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently were binge drinking (four or more drinks of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the survey)  NA 10  Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)  41.3 3	59.2	56.6	=	60.6	54.0	NA
Percentage of students who currently drank alcohol (at least one drink of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently were binge drinking (four or more drinks of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the survey)  NA 10 Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)  41.3 3						
of alcohol on at least one day during the 30 days before the survey)  Percentage of students who currently were binge drinking (four or more drinks of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the survey)  NA 10  Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)  41.3 3	14.5	12.9	=	16.4	13.2	15.0
Percentage of students who currently were binge drinking (four or more drinks of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the survey)  Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)  41.3						
more drinks of alcohol in a row for female students, five or more for male students within a couple of hours on at least one day during the 30 days before the survey)  Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)  41.3 3	29.1	27.6	=	29.4	25.4	29.2
male students within a couple of hours on at least one day during the 30 days before the survey)  Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)  41.3 3						
30 days before the survey)  Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)  41.3						
Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)  41.3						
someone giving it to them (among students who currently drank alcohol)  41.3	16.4	15.6	=	17.2	14.0	13.7
alcohol) 41.3 3						
ND N	37.7	NA	NA	NA	NA	40.5
I ND I N			ND .	Rural ND	Urban	National
	ND	ND	Trend	Town	ND Town	Average
	2017	2019	↑, ↓, =	Average	Average	2019
Percentage of students who tried marijuana before age 13 years (for	- C	<b>.</b> .		<b>.</b> .	F 4	F.0
	5.6	5.0	=	5.5	5.1	5.6
Percentage of students who currently used marijuana (one or more	15 5	12.5	_	11.4	1.4.1	21.7
0 1	15.5	12.5	=	11.4	14.1	21.7
Percentage of students who ever took prescription pain medicine						
without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin,						
		14.5	=	12.8	13.3	14.3
Percentage of students who were offered, sold, or given an illegal drug on scho	14.4					
Percentage of students who were offered, sold, or given an inegal drug on school percentage of students who attended school under the influence of		operty	(during the	12 111011UIS D	ciore the su	vey)
alcohol or other drugs (on at least one day during the 30 days before						
			NA	NA	NA	NA
Sexual Behaviors	nool pro	NΔ	INA	INA	IVA	IVA
Percentage of students who ever had se		NA				

						I	
Percentage of students who had sexual intercourse before age 13 years							
(for the first time)	2.6	2.8	NA	NA	NA	NA	3.0
Weight Management and Dietary Behaviors							
Percentage of students who were overweight (>= 85th percentile but							
<95 <sup>th</sup> percentile for body mass index, based on sex and age-specific			46-		4.0.0		
reference data from the 2000 CDC growth chart)	14.7	16.1	16.5	=	16.6	15.6	16.1
Percentage of students who had obesity (>= 95th percentile for body							
mass index, based on sex- and age-specific reference data from the	40.0						4
2000 CDC growth chart)	13.9	14.9	14.0	=	17.4	14.0	15.5
Percentage of students who described themselves as slightly or very							
overweight	32.2	31.4	32.6	=	35.7	33.0	32.4
Percentage of students who were trying to lose weight	NA	44.5	44.7	=	46.8	45.5	NA
Percentage of students who did not eat fruit or drink 100% fruit juices							
(during the seven days before the survey)	3.9	4.9	6.1	=	5.8	5.3	6.3
Percentage of students who ate fruit or drank 100% fruit juices one or							
more times per day (during the seven days before the survey)	NA	61.2	54.1	$\downarrow$	54.1	57.2	NA
Percentage of students who did not eat vegetables (green salad,							
potatoes [excluding French fries, fried potatoes, or potato chips],							
carrots, or other vegetables, during the seven days before the survey)	4.7	5.1	6.6	=	5.3	6.6	7.9
Percentage of students who ate vegetables one or more times per day							
(green salad, potatoes [excluding French fries, fried potatoes, or potato							
chips], carrots, or other vegetables, during the seven days before the							
survey)	NA	60.9	57.1	$\downarrow$	58.2	59.1	NA
Percentage of students who did not drink a can, bottle, or glass of soda							
or pop (such as Coke, Pepsi, or Sprite, not including diet soda or diet							
pop, during the seven days before the survey)	NA	28.8	28.1	=	26.4	30.5	NA
Percentage of students who drank a can, bottle, or glass of soda or pop							
one or more times per day (not including diet soda or diet pop, during							
the seven days before the survey)	18.7	16.3	15.9	=	17.4	15.1	15.1
Percentage of students who did not drink milk (during the seven days							
before the survey)	13.9	14.9	20.5	<b>1</b>	14.8	20.3	30.6
Percentage of students who drank two or more glasses per day of milk							
(during the seven days before the survey)	NA	33.9	NA	NA	NA	NA	NA
Percentage of students who did not eat breakfast (during the seven days	before	the surv	ey)				
Percentage of students who most of the time or always went hungry							
because there was not enough food in their home (during the 30 days							
before the survey)	NA	2.7	2.8	=	2.1	2.9	NA
				ND	Rural ND	Urban	National
	ND	ND	ND	Trend	Town	ND Town	Average
	2015	2017	2019	<b>↑</b> , <b>↓</b> , =	Average	Average	2019
Physical Activity							
Percentage of students who were physically active at least 60 minutes pe	er day or	1 5 or m	ore days	s (doing any	kind of phys	ical activity t	hat
increased their heart rate and made them breathe hard some of the time	e during	the sev	en days	before the s	urvey)		
Percentage of students who watched television three or more hours							
per day (on an average school day)	18.9	18.8	18.8	=	18.3	18.2	19.8
Percentage of students who played video or computer games or used a							
computer three or more hours per day (counting time spent on things							
such as Xbox, PlayStation, an iPad or other tablet, a smartphone,							
texting, YouTube, Instagram, Facebook, or other social media, for							
something that was not school work on an average school day)	38.6	43.9	45.3	=	48.3	45.9	46.1
Other							
Percentage of students who had eight or more hours of sleep (on an							
average school night)	NA	31.8	29.5	=	31.8	33.1	NA

# **Appendix E – Prioritization of Community's Health Needs**

### Community Health Needs Assessment Grafton, North Dakota Ranking of Concerns

The top concerns for each of the five topic areas, based on the community survey results, were listed on flipcharts. The numbers below indicate the total number of votes (dots) by the people in attendance at the second community meeting. The "Priorities" column lists the number of yellow/green/blue dots placed on the concerns indicating which areas are felt to be priorities. Each person was given four dots to place on the items they felt were priorities. The "Most Important" column lists the number of red dots placed on the flipcharts. After the first round of voting, the top priorities were selected based on the highest number of votes. Each person was given one dot to place on the item they felt was the most important priority of the top highest ranked priorities.

	Priorities	Most
COMMUNITY/ENVIRONMENTAL HEALTH CONCERNS		Important
Attracting & retaining young families	9	9
Having enough child daycare services	5	
Not enough affordable housing	8	
Not enough places for exercise/wellness activities	3	
AVAILABILITY/DELIVERY OF HEALTH SERVICES CONCERNS		
Availability of mental health services	11	7
Cost of healthcare services	3	
Cost of health insurance	1	
Cost of prescription drugs	3	
YOUTH POPULATION HEALTH CONCERNS		
Alcohol use and abuse	4	
Depression/anxiety	9	4
Obesity/overweight	7	
Smoking and tobacco use (second-hand smoke, vaping)	3	
ADULT POPULATION HEALTH CONCERNS		
Alcohol use and abuse	3	
Depression/anxiety	2	
Not getting enough exercise/physical activity	5	
Obesity/overweight	7	
SENIOR POPULATION HEALTH CONCERNS		
Cost of long-term/nursing home care	0	
Availability of resources to help elderly stay in their homes	10	3
Assisted living options	3	
Long-term/nursing home options	0	

# Appendix F – Survey "Other" Responses

The number in parenthesis () indicates the number of people who indicated that EXACT same answer. All comments below are directly taken from the survey results and have not been summarized.

Community Assets: Please tell us about your community by choosing up to three options you most agree with in each category below.

- 1. Considering the PEOPLE in your community, the best things are: "Other" responses:
  - Location to work site
- 2. Considering the SERVICES AND RESOURCES in your community, the best things are: "Other" responses:
  - Need a coffee shop in Park River
- 3. Considering the QUALITY OF LIFE in your community, the best things are: "Other" responses:
  - Access to nature
- 4. Considering the ACTIVITIES in your community, the best things are: "Other" responses:
  - none
  - we need more events for kids
  - 4TH OF JULY FESTIVITIES
  - bike trails in town
  - Need more youth activities during winter months

Community Concerns: Please tell us about your community by choosing up to three options you most agree with in each category.

- 5. Considering the COMMUNITY / ENVIRONMENTAL HEALTH in your community, concerns are: "Other" responses:
  - Effective local government
  - Lack of restaurants
  - Daycare shortage
  - parking at hospital
  - no townhomes-condo type living, different from assisted living or small apts.
  - noise problem with plains buzzing city
  - no town homes- condo type living, different from assisted living or small apts.
- 6. Considering the AVAILABILITY/DELIVERY OF HEALTH SERVICES in your community, concerns are: "Other" responses:
  - parking at hospital
  - First Care does not have parking for patients or staff.
  - parking at hospital
  - HIPPA is constantly violated with Valley Ambulance staff and UMC staff as well
- 8. Considering the YOUTH POPULATION in your community, concerns are: "Other" responses:
  - Bullying/cyber bullying
  - Childcare
  - Need a swimming pool in Park River
  - Amount of time spent on their phones
  - delinquency

- 9. Considering the ADULT POPULATION in your community, concerns are: "Other" responses:
  - Amount of time spent on their phones
  - Connection with other adults
  - gambling in bars
- 11. What single issue do you feel is the biggest challenge facing your community?
  - Effective local government
  - Limited access to fresh food. My town does not have a grocery store.
  - I feel that childcare availability is the biggest single issue in our community.
  - Community support of healthcare in the region.
  - Depression, loneliness and embarrassed about the reality of both
  - Obesity
  - Mental health
  - Supporting schools dealing with youth who have mental health issues.
  - Lack of community resources or different ways for seniors to engage with others.
  - Poor coverage, reimbursement with medicare advantage plans for residents and health care organizations
  - Lack of Daycare
  - Chronic alcoholism
  - Availability of home health to keep seniors in their home as long as possible before having to move to facilities
  - We need more options for physical activity, especially for the winter....gyms...classes etc.
  - DRUG USE, AVAILABILITY OF DRUGS, THIS HAS BEEN AN ON-GOING PROBLEM SINCE THE LATE 70'S
  - Dwindling businesses.
  - Childcare
  - Lack of Childcare and housing
  - Behavioral health and associated stigma of seeking care
  - The ederly population that does not have family or friends to help with their healthcare needs. These people that tend to end up trying to care for themselves and are not able too. They are then stuck at home without food, unable to properly clean themselves and end up coming into the hospital via ambulance when it has gotten to a point that it is too bad and they are took sick to stay at home.
  - Food prices Hugo's is price gouging the Grafton store.
  - Dementia
  - housing for young families, daycare, and housing for retired people wanting to move to single level homes
  - Not enough housing, more retail to get shoppers to town and restaurants
  - Loneliness and filling that space with drugs, specifically alcohol.
  - Mental health resources
  - Adequate and affordable housing
  - Taxes, economy constantly inflating with no give on salary increases
  - Impacts of poverty and community leaders lack of understanding of root causes of poverty.
  - Quality of care available for all
  - Places to work out
  - A place where everyone call have a place to exercise or walk especially during winter month and the cost the will charge for it!! Make it free
  - Mental health
  - Assistance with elderly and living arrangements and transportation.
  - there isnt a whole lot for youth to do that doesnt cost a ton of money
  - affordable housing
  - Retaining young families due to lack of childcare.
  - We need to keep our young people/families in our community this requires affordable housing, quality

daycare, and jobs that can support a family.

- Too busy to create connections, only some people involved in community projects, adult activities evolve around drinking alcohol
- Keeping our community healthy ex. more exercise. We are safe now from crimes...let's stay a safe and friendly town
- Drugs
- services for elderly
- "Housing
- Mental Health"
- Well paying jobs and quality employees
- Lack of economic development
- recruiting and keeping health care providers and nurses in rural areas for both hospital and nursing home services. High costs for using traveling nurses in these areas.
- working together; intolerance
- Daycare
- Good jobs
- Job availability.
- The hospital CEO & the Mayor making shady deals behind the barn & spreading misinformation and lying. Bullying employees to break laws & threatening to fire them.
- the avaliability of resources for families struggling with mental health.
- Noise pollution-- this is a city of planes, trains, and barking dogs. Planes will fly over the city all day long; trains blow their horns all night long; dogs left barking for hours on end.
- obesity in children
- Lack of public transportation
- \$\$\$\$\$\$
- Housing
- Adequate number of people to fill open and new jobs.
- affordable senior housing
- not enough to do for seniors
- Lack of young families
- Lack of affordable wellness and healthy activities for working adults and young families (I.e, workout classes, socialization/events that don't surround alcohol, educational classes regarding child development/family activities).
- Declining population

#### **Delivery of Healthcare**

Where do you find out about LOCAL HEALTH SERVICES available in your area? "Other" responses:

- Unity Webpage
- Posting at senior center
- 14. What specific healthcare services, if any, do you think should be added locally?
  - More sessions in the schools or after-hours programming
  - Specialist dermatology
  - Home visits through PCP
  - Mental health services. Therapist
  - Mental health for children and transportation
  - More local appointments by specialists (OBGYN, Audiologists, etc)
  - fitness classes for all ages of community members
  - None of the above.

- Family planning services through public health
- an obgyn that is here more
- More mental health and addiction services.
- Integrative Health
- Counseling
- Home safety assessments for seniors
- more parking by hospital and clinic
- Weight management
- Can't think of any.
- free place to exercise. Add silver sneakers to the Medicine Center
- Orthopedic
- Educational classes or events related to wellness and disease prevention, weight management, healthy habit building, nutrition, etc.
- 16. What PREVENTS community residents from receiving healthcare? "Other" responses:
  - Nothing prevents me
  - Don't want to see provider who I know personally
  - not sick, just don't go
  - I feel patients always get appointments if they need it. We are very accommodating
  - lack of parking at First Care
  - Fortunately, I have good insurance and no health problems, so there is not anything at this time that prevents me from getting the care I need.
  - Not enough wellness focus, currently disease focused
  - need more nurses and CNAs
  - technology-elderly cannot function well getting info by Facebook, etc. Very frustrating for them to get access and info that way.
  - Feel Healthy
  - NA
- 17. Where do you turn for trusted health information? "Other" responses:
  - Podcasts, Books
- 18. Have you supported any facility foundation in any of the following ways? "Other" responses:
  - Unable to get same day appointments with my doctor in Grafton
  - Harvest Fest
  - (2)Harvest auction
  - Donated gift baskets for auctions
  - none
  - Harvest Auction Gift
- 19. As local healthcare service providers continue with master facility planning, would you financially support any of the following capital improvements to your local healthcare facilities? "Other" responses:
  - PARKING
  - Purchase of Equipment & facility expansion
  - More space for all departments
  - More space for departments
  - Better heating in the Grafton Hospital patient rooms
  - Improvements to outpatient therapy services
  - Fitness Indoor Pool
  - parking lot

- very hard to find parking at times, need front elevator
- Parking
- Parking, ambulance bay

Additional services:

- Community center-walking and swimming.
- Any
- Mental health
- Better signage in the Grafton Hospital
- Parking at FCHC
- Fitness services
- any
- Parking Lot
- 22. How did you acquire the survey (or survey link) that you are completing? "Other" responses:
  - First Care Health Center Facebook page
  - (13) Facebook
- 23. Health insurance or health coverage status? "Other" responses:
  - Medica
  - For work
  - Drug insurance
- 30. Overall, please share concerns and suggestions to improve the delivery of local healthcare.
  - We are blessed to have the hospital and clinic that we have. I hope the city can be more supportive of them.
  - Local oncology services
  - Expansion of Park River Hospital, availability of dental care (not easy to get appointments)
  - Keep getting the word out!
  - I think the different health care entities should work together more so that they aren't overlapping services.
  - We need the support of our community to continue to offer new services, add providers and staff, and grow as a health care facility. Without the support of the community, we are limited in options to improve accessibility to our facility, and provide space for new providers and programs.
  - Will not visit Park River location. Very concerned of confidentiality.
  - Access to a fitness center is needed desperately.
  - Three long standing issues in our community. 1. A way to care for elderly or disabled patients in their home. Meaning people that may not have a good support system to help with certain tasks but are not to the point of going into a care facility for full time help. These people might need someone to get them groceries, clean their house or complete small jobs around their house. 2. Parking at our local health care facility has become a huge issue and is detrimental to patient care. Elderly and disabled patients are having to walk from blocks away because there is no parking around the facility. The neighborhood around the facility is lined with cars due to the limited parking. In the winter the distance of walking for employees and patients leaves room for accidents cause by a fall on the ice. These accidents cost the hospital money and they may be held liable for injuries. 3. Fitness opportunities in our community. There are very limited options for fitness facilities in our community. Especially during the winter months, when we are unable to utilize the bike paths and outdoor recreation areas such as parks, basketball courts and baseball fields. There are hardly any organized fitness classes and no facility for these classes to be held, even if there was someone willing to teach them. The school has a really nice weight room and gym facility but it is not accessible to the public. Creating fitness opportunities would be preventive care for issues such as obesity, depression, chronic conditions and more.
  - Drug and alcohol counseling
  - I feel that our hospital is spending out of their means and just because it is nonprofit doesn't mean spend. Pay down debt!!!
  - Onsite mental health therapist for children.
  - Parking Lot

- First Care needs to have parking available to patients and staff. This is the number one complaint in the community.
- I think we have a lot of local healthcare services and a very nice clinic, hospital, nursing home. Healthcare is getting expensive. For my specialty healthcare services, I needed I was not able to use local facilities because of the importance of getting results STAT sent to my specialty doctor and thus needed to travel to Grand Forks and further. I have found very caring staff at our hospital and clinic when I have used it and feel for the services they offer they do quite a good job.
- "Need more confidentiality
- Integrative health
- Functional medicine "
- Elevator or lift in lower entry of hospital (like at the courthouse)
- Don't know.
- Our town is blessed with very good healthcare, but more people should need to make use of everything available.
- Need for more frequent "women's health" community events.
- We have a good health care, here in Grafton
- The services and specialties offered in our communities had grown significantly. It's important to market those services to all area communities and educate the public about each one. Access to educational forums or classes focusing on wellness and general health would be something greatly appreciated in the community. Many individuals I've spoken to in my personal and professional life have shared concerns about not knowing how to build healthy habits and lifestyles due to generational poverty, limited access to education, or feeling overwhelmed on how to change wellness habits.